

MSDS - Material Safety Data Sheet

Product Name: Soil Seal


MSDS No.: 047010

Part Numbers Covered:

- 047010
- 047011
- 047012
- 047013
- 047020
- 047060
- 047062
- 047070

I. Basic Information:

Manufacturer: WILLIAM H. HARVEY COMPANY
Address: 4334 SOUTH 67TH STREET
City, ST Zip: OMAHA, NE 68117-1019
Emergency Contact: CHEMTREC
Emergency Telephone Number: (800)424-9300
Contact: Ray Rael / Jason Hertz
Information Telephone Number: (800)228-9681



2	Health
3	Flammability
0	Reactivity
Pers. Protection	

Last Update: 07/08/2002 **Expiration Date:**
Chemical State: Liquid Gas Solid
Chemical Type: Pure Mixture

II. Ingredients:

Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z	313					
141786	ETHYL ACETATE	NI						NI	400 PPM	NI	
67630	ISOPROPYL ALCOHOL	NI						400 PPM	500 PPM	NI	

III. Hazardous Identification:

Hazard Category:

- Acute
 Chronic
 Fire
 Pressure
 Reactive

Hazardous Identification Information:
 NDA

IV. First Aid Measures:

Route(s) of Entry:
 SKIN, INGESTION, AND INHALATION

Health Hazards (Acute and Chronic):
 DAMAGE TO NERVOUS SYSTEM, KIDNEYS, DROWSINESS AND HEADACHE, LETHARGY, NAUSEA, DIFFICULTY WALKING; EXCESS MAY CAUSE DAMAGE TO NERVOUS SYSTEM, BLOOD AND KIDNEYS; VAPOR CAN BE IRRITATING TO EYES, NOSE, AND THROAT; LIQUID MAY IRRITATE EYES.

11-1070

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

Signs and Symptoms:

SEE ABOVE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure:

DROWSINESS AND HEADACHE; DAMAGE TO NERVOUS SYSTEM, KIDNEYS AND BLOOD; DIFFICULTY WALKING

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT
EYES: FLUSH WITH LARGE AMOUNTS OF WATER AND CONSULT A PHYSICIAN
SKIN: WASH WITH SOAP AND WATER
INHALATION: REMOVE TO FRESH AIR
INGESTION: DO NOT INDUCE VOMITING; CALL A PHYSICIAN

Other Health Warnings:

NI

V. Fire Fighting Measures:

Flash Point: 24 F DEG T

Lower Explosive Limit: 2.0

Upper Explosive Limit:

F.P. Method:

Fire Extinguishing Media: CARBON DIOXIDE, WATER STREAM (FOG), OR DRY CHEMICAL

Special Fire Fighting Procedures:

WHEN EXPOSED TO HEAT AND FLAME, THIS IS A FIRE AND EXPLOSION HAZARD

Unusual Fire and Explosion:

WHEN BURNING, THIS MATERIAL PRODUCES TOXIC DEGRADATION PRODUCTS INCLUDING CO₂, AND OXIDES OF NITROGEN; SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED IN FIGHTING FIRE.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

CONFINE SPILLED MATERIAL, ALLOW TO SET UP THEN SCRAPE OR SWEEP UP RESIDUE AND PLACE IN TRASH CONTAINER. DO NOT INCINERATE!

VII. Handling and Storage:

Precautions to be Taken:

ELIMINATE IGNITION SOURCES; KEEP COOL, KEEP CONTAINER CLOSED AFTER USE.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS!

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

HAVE LOCAL EXHAUST AND MECHANICAL (GENERAL) EXHAUST

Personal Protective Equipment:

ADVISED TO USE PROTECTIVE GLOVES AND EYE GOGGLES. WEAR SYNTHETIC APRON OR STANDARD LONG SLEEVED WORK APPAREL, AND A VAPOR RESPIRATOR. USE NORMAL GOOD SAFETY AND HEALTH PROCEDURES.

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

IX. Physical and Chemical Properties:

Boiling Point: 171 F D	Melting Point: NI
Evaporation Rate (Butyl Acetate = 1): NI	Vapor Pressure (mm Hg.): 76@20 C
Specific Gravity (H2O = 1): 0.00000	Vapor Density (AIR = 1): NI
Solubility In Water: INSOLUBLE	Appearance and Odor: GRAY PASTE WITH ALCOHOL ODOR
Other Information:	

X. Stability and Reactivity:

Stability:
STABLE

Incompatibility (Materials to Avoid):
AVOID STRONG OXIDIZING AGENTS, STRONG ACIDS, STRONG BASES AND AMINES

Decomposition/By Products:
COMBUSTION PRODUCES CARBON DIOXIDE AND CARBON MONOXIDE

Hazardous Polymerization:
WILL NOT OCCUR

XI. Toxicological Information:

NDA

XII. Ecological Information:

NDA

XIII. Disposal Considerations:

DISPOSE OF WASTE MATERIAL ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS.

XIV. Transport Information:

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: FLAMMABLE LIQUID
 DOT LABEL: ORM-D HAZARD CLASS-3.2
 DOT NUMBER: N/A
 UN NUMBER: 1263 FOR BULK
 IMCO CLASS: N/A
 DOT HAZARD CLASSIFICATION: N/A

XV. Regulatory Information:

NDA

MSDS - Material Safety Data Sheet

Product Name: Soil Seal

MSDS No.: 047010

XVI. Other Information:

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE
N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.