

SAFETY DATA SHEET

1. Identification

Product identifier Harvey Leak Detector

Other means of identification

Product code 039300E

Synonyms Part Numbers: 039300, 039302, 039303, 039304, 039305, 039310, 039311, 039350, 039355,

039360, 039375, 039380

Recommended use Detecting leaks in metal pipes.

Recommended restrictions None

Manufacturer/Importer/Supplier/Distributor information

Company Name William H. Harvey Company

Address 4334 South 67th Street

Omaha, NE 68117

Telephone 402-331-1175
E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015

Contact person MSDS Coordinator

2. Hazard(s) identification

Physical hazards Not Classified.

Health hazards Not Classified.

OSHA defined hazards Not Classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement This product was determined to be non-hazardous.

Precautionary statement

Prevention Not applicable
Response Not applicable.
Storage Not applicable.
Disposal Not applicable.
Hazard(s) not otherwise classified (HNOC)

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Propylene Glycol	57-55-6	40 - 50	
Water	7732-18-5	40 - 50	
Lauramine Oxide	Mixture	1 – 5	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Harvey Leak Detector

SDS US

SDS # 030300E | Version #: 01 | Povision data: | leave data: 24 May 2015 | Page 1 of 6

medical attention if symptoms occur.

Skin or eve irritation.

water jet

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable Ingestion

Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Indication of immediate medical attention and special treatment needed.

Note to physician, treat symptomatically.

General information

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from

No specific fire or explosion hazard. the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this

material must be contained and prevented from being discharged to any waterway, sewer or

drain. None Specific methods General fire hazards None

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Methods and materials for containment and cleaning up Large Spills: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Harvey Leak Detector SDS US SDS # 039300E Version #: 01 Revision date: Issue date: 24-May-2015 Page 2 of 6

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value
Propvlene Glycol (CAS 57-55-6)	TWA	10 mg/m3 (Aerosol)

Biological limit values No Biological limits.

Appropriate engineering

controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Other

Hand Chemical-resistant, impervious gloves complying with an approved standard should be worn at

> all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory protection Use a properly fitted, particulate filter respirator complying with an approved standard if a risk

assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

Thermal hazards None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state Liquid Liquid **Form** Color Blue Odor Odorless **Odor threshold** Not available.

Ha 7.2

Melting point/freezing point Not applicable. Initial boiling point and boiling 212 °F (100 °C)

range

Flash point > 212 °F (> 100 °C)

Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available Flammability limit - upper (%) Not available Explosive limit - lower (%) Not available Explosive limit - upper (%) Not available Vapor pressure Not applicable Vapor density Not applicable

Relative density 1.03

Solubility(ies)

Solubility (water) Not available

Partition coefficient

(n-octanol/water) Not available Auto-ignition temperature Not applicable **Decomposition temperature** Not available Viscosity Not available

Other information

VOC (Weight %) 550 g/L

Harvey Leak Detector SDS US Page 3 of 6

10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability The product is stable.

Possibility of hazardous

reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data. Incompatible materials No specific data.

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be

products produced.

11. Toxicological information

Information on likely routes of exposure

Inhalation No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Eve contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Symptoms related to the No specific data.

physical, chemical and toxicological characteristics

Information on likely routes of exposure

Acute Toxicity

Components Species Results Propylene Glycol

Acute Oral

LD 50 Rat 30 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eve damage/eve

irritation

May cause eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not considered a respiratory irritant

Skin sensitization This product is not expected to cause skin irritation.

Germ cell mutagenicity No specific data

Carcinogenicity No known significant effects or critical hazards. Reproductive toxicity No known significant effects or critical hazards.

Specific target organ toxicity

Not Classified. Single exposure Not Classified. Repeated exposure

Aspiration Hazard Not an aspiration hazard.

Not Classified. **Chronic effects**

Further information

12. Ecological information

Ecotoxicity

Product/ingredient name	Results	Species	Exposure
Propylene Glycol			
	Acute LC50 18,340 μg/l	Crustacea	48 h
	Acute LC50 46.500 ug/l	Pimephales promelas	96 h

Persistence and degradability Not Available.

Bio accumulative potential -0.92 (Propylene Glycol)

Mobility in soil Not available.

Other adverse effects No known significant effects of critical hazards.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

Harvey Leak Detector SDS # 039300E Version #: 01 Revision date: Issue date: 24-May-2015 Page 4 of 6 contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

14. Transportation information

DOT Not Regulated

UN number

Local disposal regulations

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IATA Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IMDG Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

Environmental hazards Marine polluntant

15. Regulatory information

U.S. Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

No

SARA 313 (TRI reporting)

Not regulated.

US state regulations

This product does not contain any chemicals known to the State of California to cause cancer, California Prop 65

birth defects, or other reproductive harm.

TSCA Status

United States & Puerto Rico Toxic Substances Control Act (TSCA 8b) Yes

Harvey Leak Detector SDS US SDS # 039300E Version #: 01 Revision date: Issue date: 24-May-2015 Page 5 of 6

16. Other information, including date of preparation or last revision

Issue Date 24-May-2015

Revision Date Version # 01
HMIS Rating Health: 1
Flammabil

Flammability: 0 Physical Hazards: 0

Disclaimer William H. Harvey Co. cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Harvey Leak Detector SDS US