## SAFETY DATA SHEET

## 1. Identification

Product identifier	Epoxy Putty	
Other means of identification		
Product code	044010E	
Synonyms Recommended use	Part Numbers: 044010, 044011, 044015, 044020, 044025, 044030, 044040 044152, 044153, 044155, 044160, 044162, 044163, 044165, 044170, 0442 044182, 044205, 044207, 044208, 044209, 044210, 044211, 044212, 0442 044220, 044223, 044228, 044230, 044235, 441130, 441131 Epoxy based sealant.	175, 044176, 044181,
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company Name	William H. Harvey Company	
Address	4334 South 67 <sup>th</sup> St	
	Omaha, NE 68117	
Telephone	216-267-7100	
E-mail	info@oatey.com	
Transport Emergency	Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)	
Emergency First Aid	1-877-740-5015	
Contact person	MSDS Coordinator	
2. Hazard(s) identification		
Physical hazards	Not Classified.	
Health hazards	Skin corrosion/irritation	Cat 2B
	Serious eye damage/eye irritation	Cat 2B
	Skin sensitization	Cat 1
OSHA defined hazards	Not Classified	
Label elements		
Signal word	Warning!	
Hazard statement	Causes skin and eye irritation. May cause an allergic skin reaction.	
Precautionary statement		
Prevention	Wear protective gloves. Wear eye or face protection. Avoid breathing dus thoroughly after handling. Contaminated work clothing should not be allow workplace.	
Response	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
Storage	Not applicable.	
Disposal	Dispose of contents and container in accordance with all local, regional, n International regulations.	national and
Hazard(s) not otherwise classified (HNOC)	None known.	

## 3. Composition/information on ingredients

Mixtures				
Chemical name	CAS number	%		
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin	25068-38-6	10 – 30		
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	1 – 5		
crystalline silica non-respirable	14808-60-7	0.1 - 1		

\*Designates that a specific chemical identity and or percentage of composition has been withheld as a trade secret.

<b>č</b>	
4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/effects, acute and delayed	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Irritating to mouth, throat and stomach.
Indication of immediate medical attention and special treatment	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Needed	
General information	None
5. Fire-fighting measures	
Suitable extinguishing media	Use an existing agent suitable for surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	No specific fire or explosion hazard.
Special protective equipment and precautions for firefighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Fire-fighting equipment/instructions	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Specific methods	None
General fire hazards	None
6. Accidental release measu	Ires
Personal precautions, protective equipment and emergency procedures	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Large Spills: Move containers from spill area. Approach release from upwind. Prevent entry into

Epoxy Putty SDS # 044010E Version #: 01 Revision date: Issue date: 11-May-2015

Methods and materials for

containment and cleaning up	sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Small Spills: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
7. Handling and storage	
Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
8. Exposure controls/persor	nal protection
Occupational exposure limits	

#### US, OSHA Table 7-1 Limits for Air Contaminants (29 CFR 1910,1000)

Components crystalline silica non-respirable (CAS 14808-60-7)		Туре	Value 10 mg/M3	
		PEL		
US. ACGIH Threshold Li	mit Values			
Components		Туре	Value	
crystalline silica non-respir	rable (CAS 14808-60-7)	Ceiling	0.025 mg/m^3	
US. NIOSH: Pocket Guid	e to Chemical Hazards			
Components		Туре	Value	
crystalline silica non-respir	rable (CAS 14808-60-7)	Ceiling	0.05 mg.m^3	
ological limit values	No Biological limits.			
propriate engineering ntrols	Good general ventilation s contaminants.	hould be sufficient to control v	vorker exposure to airborne	
	s, such as personal protective			
dividual protection measure Eye/face protection	Safety eyewear complying indicates this is necessary is possible, the following p	to avoid exposure to liquid sp rotection should be worn, unle	hould be used when a risk assessme lashes, mists, gases or dusts. If cont ess the assessment indicates a highe	
	Safety eyewear complying indicates this is necessary	to avoid exposure to liquid sp rotection should be worn, unle	lashes, mists, gases or dusts. If cont	

Other	accurately estimated. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection Thermal hazards	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. None.
General hygiene considerations	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# 9. Physical and chemical properties

5. Thysical and chemical p	operates
Appearance	
Physical state	Solid.
Form	Rod
Color	Grey/Beige
Odor	Sulfurous
Odor threshold	Not available.
рН	Not Applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not determined
range	
Flash point	Not Applicable
Upper/lower flammability or explo	
Flammability limit – lower (%)	Not Available
Flammability limit – upper (%)	Not Available
Explosive limit - lower (%)	Not Available
Explosive limit - upper (%)	Not Available
Vapor pressure	Not Available
Vapor density	Not Available
Relative density Solubility(ies)	1.95
Solubility (water)	Insoluble in the following materials: cold water and hot water. Not applicable
Partition coefficient	
(n-octanol/water)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	>150°C (>302°F)
Viscosity	Not Available
Other information	
VOC (Weight %)	< 0.1% by weight
10. Stability and reactivity	
•	
Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	The product is stable.
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions will not occur.
reaction	
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
11. Toxicological information	on
Information on likely routes of ex	nosure
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be

Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Irritating to mouth, throat and stomach.
Symptoms related to the	Irritation, pain or redness

physical, chemical and toxicological characteristics

## Information on likely routes of exposure Acute Toxicity

Acute Toxicity	-				
Components	Species		Results		
2,4,6-tris (dimethylaminomethyl)phe	enol				
LD50 Dermal	Rat		1280 mg/kg		
LD50 Oral	Rat		1200 mg/kg		
Skin corrosion/irritation	Prolonged skin contact	may cause temporary irritati	on		
Serious eye damage/eye irritation	Direct contact in the eye may cause temporary irritation				
Respiratory or skin sensitization Respiratory sensitization	Not considered a respiratory irritant				
Skin sensitization	This product is not expe	ected to cause skin irritation.			
Germ cell mutagenicity	No specific data				
Carcinogenicity		fects or critical hazards.			
Reproductive toxicity	No known significant ef				
Specific target organ toxicity	i të talëtit elgimean el				
Single exposure Repeated exposure	Not Classified. Not Classified.				
Aspiration Hazard	Not an aspiration hazar	d.			
Chronic effects	Not Classified.				
Further information		ere allergic reaction may occ	ur when subsequently ex	posed to very low	
12. Ecological information					
Ecotoxicity	No Specific Data.				
Persistence and degradability	No Specific Data.				
Bio accumulative potential					
Bio accumulative potential					
-		LogPow	BCF	Potential	
Product/ingredient name	nlorhydrin); epoxy	LogPow 2.64 – 3.78	BCF 31	Potential low	
Product/ingredient name reaction product: bisphenol-A-(epich resin		<u> </u>			
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)phen		2.64 – 3.78		low	
Product/ingredient name reaction product: bisphenol-A-(epich resin 2,4,6-tris(dimethylaminomethyl)phen Mobility in soil	nol Not available	2.64 – 3.78 .219		low	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects	nol Not available No known significant e	2.64 – 3.78		low	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations	nol Not available No known significant e	2.64 – 3.78 .219		low	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions	nol Not available No known significant e <b>S</b>	2.64 – 3.78 .219 ffects or critical hazards.	31 -	low low	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations	nol Not available No known significant e <b>5</b> Disposal of this product requirements of enviror regional local authority	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste	31 - ucts should at all times co	low low mply with the	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements.	31 - ucts should at all times co e disposal legislation and	low low mply with the any	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informat	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informate DOT	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)pher Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informate DOT UN number	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)phen Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informat DOT UN number UN Proper Shipping Name	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)phen Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informat DOT UN number UN Proper Shipping Name Transportation Hazard classes	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)phen Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informate DOT UN number UN Proper Shipping Name Transportation Hazard classes Packing group	Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul tion Not Regulated - -	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	
Product/ingredient name reaction product: bisphenol-A-(epick resin 2,4,6-tris(dimethylaminomethyl)phen Mobility in soil Other adverse effects 13. Disposal considerations Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging 14. Transportation informat DOT UN number UN Proper Shipping Name Transportation Hazard classes	nol Not available No known significant e S Disposal of this product requirements of enviror regional local authority Not available Dispose of surplus and should not be disposed all authorities with juriso Waste packaging shoul	2.64 – 3.78 .219 ffects or critical hazards. , solutions and any by-produ mental protection and waste requirements. non-recyclable products via of untreated to the sewer ur diction.	31 - ucts should at all times co e disposal legislation and a licensed waste disposa	low low mply with the any al contractor. Wast	

UN Proper Shipping Name Transportation Hazard	-
classes Packing group	
IMDG	-
UN number	Not regulated
UN Proper Shipping Name	-
Transportation Hazard classes	-
Packing group	-
Environmental hazards Marine polluntant	

## 15. Regulatory information

U.S. Federal regulations	TSCA 8(a) PAIR: Siloxanes and Silicones, di-Me, reaction products with silica TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: zinc sulphide
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Not Listed
Clean Air Act Section 602 Class I Substances	Not Listed
Clean Air Act Section 602 Class II Substances	Not Listed

### SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

## SARA 311/312

Classification Immediate (acute) health hazard

Name	wt %	Fire Hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (Chronic) health hazard
reaction product: bisphenol-A-(epichlorhydrin); epoxy resin	10 – 30	No	No	No	Yes	No
2,4,6-tris(dimethylaminomethyl)phenol	1 – 5	No	No	No	Yes	No
crystalline silica non-respirable	0.1 - 1	No	No	No	No	Yes

### Sara 313

	Product Name	CAS Number	Wt%
Form R- Reporting requirements	Zinc sulphide	1314-98-3	1-5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

US state regulations Massachusetts	The following components are listed: soapstone, mineral wool fiber
New York	None of the components are listed
New Jersey	The following components are listed: soapstone; silica quartz, quartz (SiO2); zinc compounds
Pennsylvania	The following components are listed: soapstone dust; quartz (SiO2); zinc compounds

California Prop 65	This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (Talc, not containing asbestiform fibers and crystalline silica, non-repirable)

### International regulations

Country(s) or region	Inventory Name	On inventory list (yes/no)*
Canada	Domestic Substance List (DSL)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	Yes

## 16. Other information, including date of preparation or last revision

Issue Date Revision Date	11-May-2015
Version #	01
HMIS Rating	Health: Flammability: Physical Hazards:
Disclaimer	HCC Holdings Inc. an Oatey Affiliate cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.