

LITTLE GIANT® PUMPS

SMALL SUBMERSIBLE PUMPS

Designed to operate when the pump is totally submerged in fluid • Hermetically sealed and filled with a special oil that provides life-time lubrication and rapid dissipation of heat

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		1 FT.	3 FT.	5 FT.				

05-1208	P-AAA	120	70	-	4.6'	2.0	115v	6
---------	-------	-----	----	---	------	-----	------	---

Can be set on any of five sides • Screen flush with pump side allows more complete pick-up of fluid • 6 ft. power cord

05-1210	1-AA	170	90	35	5.9'	2.5	115v	6
---------	------	-----	----	----	------	-----	------	---

Garden hose adapter • Polypropylene front and impeller • Polyethylene screen • 3 ft. power cord with 3-prong molded plug

05-1216	1	205	168	120	7.4'	3.2	115v	6
---------	---	-----	-----	-----	------	-----	------	---

Polypropylene front and impeller • Polyethylene screen • 6 ft. power cord

05-1222	1MA	170	127	70	6.1'	2.6	115v	6
---------	-----	-----	-----	----	------	-----	------	---


Side intake and vertical discharge • Polypropylene front, impeller, and screen • 6 ft. power cord

05-1228	NK-1	210	180	150	10.2'	4.4	115v	6
---------	------	-----	-----	-----	-------	-----	------	---


Designed for use in mild acids, alkalis, and hard water applications • Has glass filled, corrosion-resistant nylon housing • Viton® Seal • Thermally protected • 6 ft. power cord




05-1208



05-1210
05-1216



05-1222



05-1228


PARTS WASHER PUMP

Submersible pump for use with standard solvent and deodorized kerosene submerged parts washer applications only • 1/4" MNPT discharge

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		1 FT.	3 FT.	5 FT.				

05-1226	1-YS	205	120	-	7.4'	3.2	115v	6
---------	------	-----	-----	---	------	-----	------	---

6 ft. power cord with Master Builders Conduit fitting • Thermally protected
CAUTION: The low flash point of these solutions presents a potential fire hazard
The entire pump must be fully submerged while in operation



05-1226



05-1224

DUAL PURPOSE PUMPS

Maybe used either totally submerged, or in an open air, closed line system • Application pumps are filled with a special oil that provides life-time lubrication and rapid dissipation of heat

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		1 FT.	3 FT.	5 FT.				

05-1220	2E-38N	300	205	70	11.8'	5.1	115v	6
---------	--------	-----	-----	----	-------	-----	------	---


3/8" FNPT intake and 1/4" MNPT discharge ports • Removeable nylon screen • 6 ft. power cord

05-1224	3E-12N	500	337	210	17.3'	7.5	115v	4
---------	--------	-----	-----	-----	-------	-----	------	---


1/2" FNPT intake and 1/2" MNPT discharge ports • Nylon screen • Viton® Seal • 6 ft. power cord

05-1230	3E-34N	670	575	460	20.3'	8.8	115v	4
---------	--------	-----	-----	-----	-------	-----	------	---

3/4" FNPT intake and 1/2" MNPT discharge ports • Viton® Seal and stainless steel backplate • Used in hot tubs and spa applications • 10 ft. power cord



05-1220



05-1230

LITTLE GIANT TRANSFER PUMP

Potent pump is a portable pumping system for non-submersible use in virtually any industrial or commercial application where water needs to be moved • Self-priming

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		1 FT.	10 FT.	20 FT.				

05-1520	PP-1	275	225	165	-	-	115v	6
---------	------	-----	-----	-----	---	---	------	---

1/2" FNPT intake and 1/2" MNPT discharge ports • Nylon screen • Viton® Seal • 6 ft. power cord



05-1520



FLOTEC® PUMPS & ACCESSORIES

FLOTEC CYCLONE® UTILITY PUMPS

Versatile portable utility pump is easy to set-up and operate • Use to emptying waterbeds, aquariums or non-draining sinks, and transferring or removing unwanted water



05-1534



05-1530
05-1532

FLOTEC AUTOMATIC SUMP PUMPS

Plastic submersible sump pumps provide carefree performance and quiet operation • Ideal for continuous use in excavation, basement, and many other applications requiring high volume water dispersal

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		5 FT.	10 FT.	20 FT.				
05-1530	S1800A	2,280	1,620	0	18'	-	115v	4
<i>1-1/2" FNPT discharge with 1-1/4" FNPT adapter • 1/4 Hp motor • 8 ft. power cord</i>								
05-1532	S2400A	2,760	2,160	0	20'	-	115v	4
<i>1-1/2" FNPT discharge with 1-1/4" FNPT adapter • 1/3 Hp motor • 8 ft. power cord</i>								
05-1534	S3250A	3,200	2,700	1,200	24'	-	115v	4
<i>1-1/2" FNPT discharge with 1-1/4" FNPT adapter • 1/2 Hp motor • 8 ft. power cord</i>								



05-1542



05-1554

FLOTEC AUTOMATIC SEWAGE PUMP

Motor housing and pump casing made of rugged, close-grained cast iron • Vortex impeller will handle up to 2" solids • Switch may be bypassed, allowing manual plug-in use

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		5 FT.	10 FT.	18 FT.				
05-1542	SE3601A	5,400	3,780	0	-	-	115v	4
<i>4/10 Hp motor • 20 ft. power cord</i>								

FLOTEC TEMPEST® II UTILITY PUMPS

Versatile portable utility pump is easy to set-up and non-corrosive • Ideal for sump, draining window wells and cisterns

ITEM NO.	MODEL NO.	GALLONS PER HOUR AT HEIGHT OF:			SHUT OFF	PSI	VOLTS	CTN. QTY.
		3 FT.	10 FT.	15 FT.				
05-1554	S1250X	1,140	840	480	-	-	115v	4
<i>1/6 HP motor • 1" NPT discharge • 8 ft. power cord • Includes garden hose adapter</i>								
05-1552	S1300X	1,320	930	660	-	-	115v	4
<i>1/6 HP oil-cooled motor • 1" NPT discharge • 8 ft. power cord • Includes garden hose adapter</i>								

ACCESSORIES

ITEM NO.	MODEL NO.	DESCRIPTION	VOLTS	CTN. QTY.
05-1536	26-6	Sump Pump Check Valve <i>Universal check valve for pumps • 1-1/4" MNPT x 1-1/4" ID tubing</i>	-	8
05-1540	12-6	Sump Pump Hose Kit <i>Universal check valve for pumps • 1-1/4" MNPT x 1-1/4" ID tubing</i>	-	8
05-1556	18-15	Submersible FloatSwitch <i>Converts any manual pump, up to 1/2 hp, to automatic operation • Attaches easily to the back on the Wizard • 10 amp switch has 10 ft. power cord with grounded plug</i>	115v	8



05-1536



05-1540




05-1556




COOLER PUMPS

ITEM NO.	MODEL NO.	HP	COOLER SIZE CFM	PUMP CAPACITY AT ONE FOOT HEAD	CTN. QTY.
05-1320	1055	1/30HP	up to 5,500	200gph/1ft	12
05-1300	UL1150		up to 5,500	240gph/1ft	12
05-1302	UL1175	1/20HP	up to 7,500	240gph/1ft	12
05-1308	LA1414 <i>COMERCIAL</i>	1/10HP	up to 15,000	440gph/1ft	12
05-1310	UL1195	1/15HP	up to 11,000	420gph/1ft	12
05-1312	1286/230V <i>COMERCIAL</i>	1/15HP	up to 11,000	320gph/1ft	6
05-1330	1536 Economy Power Clean Pump				6

Features: High impact styrene • Snap lock bottom for easy cleaning • Perma lube bearings • Extra large base • Heavy duty molded impeller • 3/8" & 1/2" hose adapter • Fully warranted for 1 year




05-1320
15-1330




05-1300
thru
05-1312

COOLER MOTORS AND ACCESSORIES


05-1400	1	1/3" H.P. 1 speed motor	
05-1402	1	1/3" H.P. 2 speed motor	
05-1404	1	1/2" H.P. 1 speed motor	
05-1406	1	1/2" H.P. 2 speed motor	
05-1408	1	3/4" H.P. 1 speed motor	
05-1410	1	3/4" H.P. 2 speed motor	
		Cooler motor clamps 2 pieces	
			05-1147 6
05-1132	1	Bulk motor base support	



05-1400
thru
05-1410



05-1132



05-1147



05-1050
05-1051

COOLER COMPONENTS

BULK NO.	CTN. QTY.	DESCRIPTION	CARD NO.	CTN. QTY.
COOLER FLOAT VALVES				
05-1050	1	Brass cooler float valve	05-1051	1
05-1052	1	Economy cooler float valve	05-1053	1
05-1054	1	Brass 3/8" cooler float valve		
05-1056	1	Brass 3/8" short arm cooler float valve		

Note: All valves have 1/4" compression hook-up.



05-1052
05-1053
05-1054



36-0233



05-1056




36-0235

COOLER THERMOSTATS AND SWITCHES

		Evaporator / Cooler thermostat	36-0231	1
		Switch 2 speed 6 position	36-0233	1
		Switch 1 speed 4 position	36-0235	1
36-0240	6	Digital cooler controller 115v		



36-0231




36-0240




**COOLER COMPONENTS
CONT.**




36-0235




06-1250
thru
06-1531



17-8368
17-8369



17-8448
17-8469



37-1829



05-1164




11-1828



05-1166



11-1832




05-1030



05-1032



05-1034



05-1099



05-1110



17-2248
17-2249



05-1100
05-1101



05-1114



05-1118



05-1120



05-1123




05-1122



05-1124
05-1125



05-1126



05-1130
05-1131

BULK NO.	CTN. QTY.	DESCRIPTION	CARDED NO.	CTN. QTY.
----------	-----------	-------------	------------	-----------

COOLER VALVES

06-1520	1	Brass sillcock female hose to male hose 1/8" FPT side tapped	06-1521	1
06-1522	1	Brass sillcock 3/4" FPT to male hose 1/8" FPT side tapped		
06-1530	1	Celcon sillcock female hose to male hose 1/8" FPT side tapped	06-1531	1

COOLER ADAPTERS *See section 17 for compression fittings*

17-8368	1	Hose adapter female hose to male hose 1/8" FPT side tapped	17-8369	1
17-8448	1	1/2" MPT to 1/2" FPT 1/8" FPT side tapped	17-8449	1
17-8468	1	3/4" MPT to 1/2" FPT 1/8" FPT side tapped	17-8469	1

COOLER TREATMENTS

		1/4" Comp in-line scale stopper filter	37-1829	1
05-1164	1	Deodorizer cake		
11-1828	1	Pint cooler cleaner		
11-1832	1	Quart cooler coating		
05-1166	1	Anode kit		

COOLER PARTS

05-1030	1	Flat Fit-All cooler pump strainer		
05-1032	1	Molded Fit-All cooler pump strainer		
05-1034	1	Pump strainer filter screen		
		Water restrictor clamp for pump hose	05-1099	1
05-1100	1	Plastic cooler drain threaded with pipe	05-1101	1
17-2248	1	Brass cooler drain	17-2249	1
05-1110	1	Distributor head 3-way side		
05-1114	1	Distributor head 6-way side		
05-1118	1	Distributor head 4-way down		
05-1120	1	Distributor head 6-way down		
05-1122	1	Distributor head 8-way down		
		Universal 8-way head with glue & plugs	05-1123	1
05-1124	1	Tube retainer clip	05-1125	1
05-1126	1	Flow regulator • 3 pieces		
05-1130	1	Water distributor adapter	05-1131	1



COOLER PARTS

BULK NO.	CTN. QTY.	DESCRIPTION	CARDED NO.	CTN. QTY.
05-1136	1	Mek solvent cement	05-1137	1
		Fit-All side latches • 2 pieces	05-1139	1
05-1140	1	Water controller tube	05-1141	1
		Lasco 4-way spider kit	05-1151	1
		Lasco 6-way spider kit	05-1153	1
		Lasco 8-way spider kit	05-1155	1
		Lasco 3-way side kit	05-1157	1
		Lasco bleed off kit	05-1161	1
05-1160	1	½" Tubing clamp		
05-1162	1	Bleed off tee only		
05-1180	1	7" Blower pulley 5/8" shaft		
05-1182	1	8" Blower pulley 3/4" shaft		
05-1184	1	9" Blower pulley 3/4" shaft		
05-1186	1	10" Blower pulley 1" shaft		
05-1188	1	11" Blower pulley 1" shaft		
05-1190	1	12" Blower pulley 1" shaft		
05-1192	1	14" Blower pulley 1" shaft		
05-1150	1	3/4" x 21" Shaft		
05-1152	1	3/4" x 24" Shaft		
05-1154	1	1" x 24" Shaft		
05-1156	1	1" x 27" Shaft		
05-1102	1	5/8" Bore spider bearing		
05-1104	1	3/4" Bore spider bearing		
05-1106	1	1" Bore spider bearing		
		3-1/4" x 1/2" Motor pulley	05-1201	1
		3-1/2" x 5/8" Motor pulley	05-1203	1
		3-1/4" x 5/8" Motor pulley	05-1205	1
		3-3/4" x 1/2" Motor pulley	05-1207	1
		5/8" Pillow block assembly	05-1251	1
		3/4" Pillow block assembly	05-1253	1
		1" Pillow block assembly	05-1255	1
		3/4" High rise pillow block	05-1257	1
		1" High rise pillow block	05-1259	1
		5/8" Shaft collar	05-1271	1
		3/4" Shaft collar	05-1273	1
		1" Shaft collar	05-1275	1
		1-3/16" Shaft collar	05-1277	1
		Champion tube retainer clips (4pcs)	05-1350	1
		Tradewinds tube latch	05-1353	1



05-1136
05-1137



05-1139



05-1151
thu
05-1157



05-1140
05-1141




05-1161



05-1162




05-1160



05-1180
thru
05-1192



05-1150
05-1152
05-1154
05-1156




05-1160
05-1104
05-1106



05-1201
thru
05-1207



05-1251
thru
05-1259



05-1271
thru
05-1277











05-1350



05-1353



WATER PRESSURE REGULATORS



BULK NO.	CTN. QTY.	DESCRIPTION	CARDED NO.	CTN. QTY.
REPLACEMENT FOR 25 AUB				
05-1612	1	3/4" 111-324 Pressure regulator		
05-1614	1	1" 111-325 Pressure regulator		

For supply water pressures up to 300 lbs. and can be adjusted from 25 to 75 lbs. • The by-pass feature, incorporated into these valves, accurately controls build-up of system pressure and thermal expansion by equalizing the system and supply pressure when relief setting is in excess of available supply main pressure

WATTS WATER PRESSURE PARTS

05-1606	1	3/4" 25 AUB Repair Kit
05-1608	1	1" 25 AUB Repair Kit

WILKINS WATER PRESSURE REGULATORS

05-1620	6	1/2" Pressure regulator #600
05-1622	6	3/4" Pressure regulator #600
05-1624	6	1" Pressure regulator #600
05-1630	6	3/4" Pressure regulator #70
05-1632	6	1" Pressure regulator #70
05-1634	6	3/4" Pressure regulator #70DU
05-1636	6	3/4" Pressure regulator #70DU

REPLACEMENT FOR #70 WILKINS

05-1652	1	3/4" T-6801 Pressure regulator
05-1654	1	3/4" T-6801 Pressure regulator

WILKINS WATER PRESSURE PARTS

05-1640	1	1/2" Wilkins repair kit
05-1642	1	3/4" Wilkins repair kit
05-1644	1	1" Wilkins repair kit
05-1670	1	3/4" #90 Repair kit
05-1682	1	3/4" #70 Repair kit
05-1684	1	1" #70 Repair kit
05-1646	1	3/4" Copper Tailpiece
05-1648	1	1" Copper Tailpiece

R.V., TRAILER, BOAT




05-1598	1	Water P/Reg. male hose to female
05-1600	1	H560 Water regulator
05-1602	1	H5606 Water regulator with gauge

H560 has hose tread connections for travel trailers and drip irrigation • Maximum pressure 150 psi • Adjustable reduced pressure range 10-60 psi









TEMPERATURE AND PRESSURE RELIEF VALVES

BULK NO.	CTN. QTY.	DESCRIPTION	CARD NO.	CTN. QTY.
05-1704	50	3/4" T&P 150LB A.S.M.E. rated • Self-closing T&P relief valve for water heaters up to 100,000 BTU per hour • Meets all established water heater safety standards	05-1705	6
05-1706	50	175# T&P valve coated • Same as above except with 175 lbs. pressure setting		
05-1708	50	100XL-8 Watts T&P valve • Long Probe		
05-1712	50	3/4" 150# pressure valve only • Designed for protection against excessive pressure only • Use on domestic storage tanks on tankless water heaters • Popularly used in conjunction with #210 gas shut-off	05-1713	6
05-1720	1	210 Temperature gas shut-off • Provides protection for gas water heater against over heating by shutting off the gas supply at water temperature of 210°		
05-1740	50	1/2" 150# Pressure relief valve • Caution: Use with pressure setting of 150 psi only	05-1741	6
05-1750	50	3/4" 150# T&P valve A.G.A. and A.S.M.E. rated with short thermostat stick • Relief valve for water heaters up to 80,000 BTU per hour	05-1751	6
05-1710	50	Long Body 3/4" T&P valve	05-1711	6



MISCELLANEOUS AND SPECIALTY ITEMS



BULK NO.	CTN. QTY.	DESCRIPTION	CARDED NO.	CTN. QTY.
AIR GAPS				
05-2104	50	Copper deck type air gap	05-2103	6
05-2104P	24	Bulk air gap	05-2105	6
05-2150	1	Poly bag • 24 units		
05-2151	1	C.P. outer cap air gap	05-2151	6

AIR GAP PARTS				
05-2160	1	Ext. and Plastic inner cap	05-2161	6
05-2160E	1	Extension for air gap		
05-2162	1	Plastic lock nut air gap	05-21636	6
	1	Air gap kit complete	05-2165	6
05-2170	1	Tall air gap chrome plated cap	05-2171	6
05-2106	50	Plastic air gap with brass cap	05-2107	6

BACK FLOW PREVENTER				
05-1762	100	Hose bibb back flow preventer • Prevents the reverse flow of contaminated water back into the potable water supply • Hose x hose connections	05-1763	6
05-1760	50	Same as above plastic		
05-1760P	10	Same as above poly bag with upc		
05-1764	6	Watts 8A back flow preventer		
05-1766	1	Watts NF8 Frostpruf backflow preventer		
05-1768	12	Arrowhead fine thread back flow preventer	05-1769	6
05-1770	10	Arrowhead self draining fine thread back flow preventer	05-1771	6
05-2098	1	1-1/2" ABS plumbing vent		
05-2204	1	288A 1/2" Angle vacuum break • Designed to prevent back-syphonage of contaminated water into a potable water supply		
05-2206		288A 1/2" Repair kit		

HAMMER ARRESTERS				
05-2200	1	150A 1/2" Shock arrestor • End annoying noises from banging pipes • Has a permanent precharge air chamber and sealed in diaphragm which flexes to absorb shock		
05-2250	C	1/2" MIP x 3-3/8"		
05-2252	C	1/2" Copper Sweat		
05-2254	C	5/8" O.D. Comp Tee		
05-2256	C	Washing Machine Tee		




MISCELLANEOUS AND SPECIALTY ITEMS CONT'D


BULK NO.	CTN. QTY.	DESCRIPTION	CARD NO.	CTN. QTY.
----------	-----------	-------------	----------	-----------

SPECIALTY PUMPS


		Drill pump kit without hose • Works with any electric drill	05-1507	1
		Drill pump kit with hose • Works with any electric drill • Pumps up to 200gph	05-1509	1
05-1584	10	Plastic cellar drain	05-1585	6
05-1588	1	Waterbed fill and drain kit		
05-1590	1	Pitcher pump		



05-1507



05-1584
05-1585



05-1509




05-1588

CASA & BOB FLOATS VALVES


05-1800	1	R-810 3/8" Casa float valve
05-1802	1	R-810 1/2" Casa float valve
05-1804	1	R-810 3/4" Casa float valve
05-1806	1	R-810 1" Casa float valve
05-2000	1	R-400 3/8" Bob float valve
05-2002	1	R-400 1/2" Bob float valve
05-2004	1	R-400 3/4" Bob float valve
05-2006	1	R-400 1" Bob float valve



05-1590



05-1800
thru
05-1806



05-2000
thru
05-2006



05-1880

FLOATS VALVES PARTS

05-1860	1	3/8"-1/2"-3/4" Fulcrum
05-1862	1	1" Casa valve fulcrum
05-1880	1	3/8"-1/2"-3/4"-1" Screw
05-1892	1	3/4" Casa valve washer
05-1902	1	3/4" Casa valve cup
05-2020	1	3/8" Bob valve plunger assembly
05-2022	1	1/2" Bob valve plunger assembly
05-2024	1	3/4" Bob valve plunger assembly
05-2028	1	3/8"-1/2"-3/4"-1" Long arm
05-2030	1	3/8"-1/2"-3/4"-1" Arm
05-2032	1	3/8"-1/2"-3/4"-1" Screw
05-2034	1	3/8"-1/2"-3/4"-1" Cotter pin
05-2036	1	3/8" Bob valve washer
05-2038	1	1/2" Bob valve washer
05-2040	1	3/4" Bob valve washer
05-2050	1	3/8" Casa valve cup washer



05-1892



05-1860
05-1862



05-1902



05-2028



05-2020
thru
05-2024



05-2032



05-2030



05-2034



05-2036
thru
05-2040



05-2050



