INLINE FILTERS

T
TASTE

Ξ	ITEM	PACK	DESCRIPTION	GAL LIFE
	37-1817	SKIN	2" x 6" Ice Maker • 1/4" Compression	1000 Gallons
	37-1819	BOX	2" x 10" Ice Maker • 1/4" Quick Connect	2000 Gallons
	37-1820	BULK	2" x 10" RO Post-Filter • 1/4" FIP	1500 Gallons
	37-1821	BOX	2" x 10" Ice Maker • 1/4" Compression	2000 Gallons
	37-1813	SKIN	2" x 10" Inline Filter • 3/8" Compression	2000 Gallons
	37-1815	SKIN	Shower Head Filter • 1/2" FIP x 1/2" MIP 100% KDF-55 for Reduction of Chlorine and Foul Odors	10000 Gallons
	37-1825	SKIN	2" x 10" RV Filter • 3/4" Hose Thread	2000 Gallons



37-1827	SKIN	2-1/2" x 11" • 1/4" FIP	750 Gallons/
		Lead Safe • Listed & Tested NSF® 53 •	6-12 Gallons

Reduces Lead, CYST, Chlorine and Odors • Especially Designed for Water Fountains in Schools, Parks, etc.



37-1823	SKIN	2" x 10" Ice Maker with Delimer	2000 Gallons
37-1811		2" x 6" Phosphate / Carbon • 1/2" MIP	2000 Gallons
37-1829		2" x 6" Phosphate / Carbon • 1/4"	1250 Gallons
37-1829	SKIIN	Compression	1250 Gallons


INLINE FILTERS KITS




37-1831	SKIN	Ice Maker Filter with 15' Copper Tubing Installation Kit	1250 Gallons
37-1833	SKIN	Ice Maker Filter with 7" Braided Flex	1250 Gallons

ICEMAKER INSTALLATION KITS

17-0951	SKIN	25' Poly Tubing for Icemaker Installation
17-0951P	BAG	
17-0953	SKIN	25' Copper Tubing for Icemaker Installation
17-0957	SKIN	Poly Tube Icemaker Install Kit • Uses #44
		EZ Adapter Not Saddle Valve
17-0959	SKIN	7' Braided Stainless Install Kit • Uses #44
		EZ Adapter Not Saddle Valve







37-1821 37-1823

37-1817

37-1820 37-1827











04/07/06



REMOVES DIRT, RUST & SEDIMENT

ALL CARTRIDGES FIT STANDARD OR SLIMLINE 10" FILTER HOUSINGS WITH THE EXCEPTION OF THE "JUMBO BLUE" CARTRIDGE WHICH IS 4-1/2" x 9-7/8" AND FITS LARGE HEAVY DUTY HOUSINGS.

Whole House
 Point of Use
 RO Pre-Filter

SEDIMENT MICRON RATES

RATES FILTERS RATES FILTERS

1 MICRON VERY FINE 30 MICRON MEDIUM/COARSE

5 MICRON FINE 50 MICRON COARSE

DAD

PAPER PLEATED CELLULOSE RESIN IMPREGNATED MEDIA

- Point of Use or Whole House Filter
- Most Economical & Common Household Filter

MEDIUM

- Standard Size Fits all Standard 10" Housings 2-5/8" O.D. x 9-7/8" Length
- · 20 Micron


20 MICRON



POS

POLY SPUN POLYPROPYLENE SPUN WOUND FILTER MEDIA

- Carefully Spun Together for True Gradient Depth Filtration
- · RO Pre-Filter, Point of Use or Whole House Filter
- Standard Size Fits all Standard 10" Housings 2-5/8" O.D. x 9-7/8" Length
- 1 / 5 / 20 / 50 Micron Rated



POW:

POLY WOUND FILTER MEDIA

- Polypropylene Wound String
- · Point of Use or Whole House Filter
- Standard Size Fits all Standard 10" Housings 2-5/8" O.D. x 9-7/8" Length
- · 30 Micron Rated





POLYESTER PLEATED MEDIA

- Commercial Grade Washable and Reusable
- RO Pre-Filter, Point of Use or Whole House Filter
- Standard Size Fits all Standard 10" Housings 2-5/8" O.D. x 9-7/8" Length
- "JUMBO BLUE" Fits Heavy Duty size Housings 4-1/2" O.D. x 9-7/8" Length
- 5 / 20 / 50 Micron Rated



ITEM	PACK	TYPE	MEDIA	DESCRIPTION	MICRON	RATING
37-1860	BULK/24	PAP20	Paper	Medium Rust/Sediment	20	H
37-1860P	SHRINK		Pleated			
37-1861	CARDED					
37-1876P	SHRINK	POS1	Poly	Extra Fine Rust/Sediment	1	НН
37-1878	BULK/24	POS5	Spun	Fine Rust/Sediment	5	НН
37-1878P	SHRINK					
37-1879	CARDED			RO Pre-Filter		
37-1880P	SHRINK	POS20		Medium Rust/Sediment	20	НН
37-1882P	SHRINK	POS50		Course Rust/Sediment	50	НН
37-1898P	SHRINK	POW30	Wound String	Medium/Couse Rust/Sediment	30	НН
37-1884P	SHRINK	POP5	Poly Pleated	Fine Rust/Sediment	5	ннн
37-1886P	SHRINK	POP20		Medium Rust/Sediment	20	ННН
37-1888P	SHRINK	POP50	Washable	Course Rust/Sediment	50	ннн
37-1892P	SHRINK	POPBB	Reusable	Course • "JUMBO BLUE" Large	50	ннн
				4-1/2" O.D. x 9-7/8" Length		

★ = GOOD

★★ = BETTER

★★★ = BEST

NOTE: Bulk Cartridges will be sold only by the case



REMOVES FOUL TASTE, ODORS, & CHLORINE

ALL CARTRIDGES FIT STANDARD OR SLIMLINE 10" FILTER HOUSINGS WITH THE EXCEPTION OF THE "JUMBO BLUE" CARTRIDGE WHICH IS 4-1/2" x 9-7/8" AND FITS LARGE HEAVY DUTY HOUSINGS.

Use for Water Dispensers

RO Post or Pre-Filters

Whole House

MEDIA

Bituminous Carbon 12 x 40 Carbon • Reduces Bad Taste, Odors, & Chlorine • RO Pre-Filter Bituminous Carbon 20 x 50 Carbon • Reduces Bad Taste, Odors, & Chlorine • RO Post-Filter Coconut Shell Carbon • 20 x 50 Water Washed • Reduces Bad Taste, Odors & Chlorine • RO Pre-Filter KDF-55 • Generally used with other Carbon Media • Excellent Chlorine Reduction



CARBON IMPREGNATED PAPER


Plastic End Caps

- Poly Outer Sheath
- Most Economical
- Most Common Household Filter



GRANULAR CARTRIDGES FILLED WITH ASSORTED MEDIAS

- Bituminous Carbon or Coconut Shell Carbon or KDF-55
- RO Pre-Filter or Post-Filter
- Water Dispensers



CARBON BLOCK - ACID WASHED & FUSED

RO Pre-Filter

Water Dispenser

5 Micron Sediment Filter



CAP

GAC

CAB

ITEM	PACK	TYPE	MEDIA	DESCRIPTION	TASTE	ODOR	CHLOR
37-1862P 37-1863			Carbon Paper	Household Use • 5 Micron • 1000 Gallons	*	*	*
37-1864 37-1864P	BULK/25 SHRINK	GAC1	12 x 40 Acid Washed Carbon	Good For Pre-Filter • NSF Listed • 3500 Gallons	**	**	**
37-1866 37-1866P 37-1867	BULK/25 SHRINK CARDED	GAC2	20 x 50 Coconut Shell Carbon	Good For Pre-Filter • NSF Listed • 5000 Gallons	***	***	***
37-1868 37-1868P	BULK/25 SHRINK	GAC3	20 x 50 Acid Washed Carbon	Good For Pre-Filter • Omni T-28 5000 Gallons	**	**	**
37-1870P	SHRINK	GAC4	20 x 50 Carbon With KDF-55	Excellent Chlorine Removal NSF Listed • 10,000 Gallons	****	****	***
37-1894P	SHRINK	GACBB	12 x 40 Carbon	" <u>JUMBO BLUE</u> " • 5600 Gallons	***	***	***
37-1872P	SHRINK	CAB1	Carbon Block	5 Micron • NSF Listed • 3000 Gallons	****	****	****
	1						

★ = ADEQUATE

★★ = GOOD

★★★ = BETTER

*** = BEST


NOTE: Bulk Cartridges will be sold only by the case





REDUCES LEAD, HEAVY METALS, & CYST (Giardia Cryptosporidium)







- Enhanced Absorption Characteristics Will not Channel or Bypass
- Standard Size Fits all Standard 10" Housings 2-5/8" O.D. x 9-7/8" Length
- 99.98% Reduction of CYST







ITEM	PACK	TYPE	MEDIA	DESCRIPTION	SIZE
37-1874P	SHRINK	CAB2	Carbon Block	Reduces Lead / CYST / Bad Taste / Odor • NSF [®] 90% Reduction of Lead for 2500 Gal. at .75 GPM in Accordance with NSF [®] Protocol	9-3/4" x 2-1/2"



REDUCES LIME SCALE & HARD WATER DEPOSITS

GRANULAR FILLED CARTRIDGE WITH VARIOUS MEDIA



· Carbon - Can be Mixed with Phosphate for Reduction of Bad Taste / Odor / Chlorine



9-3/4" x	2-7/8"

37-2550P	SHRINK	GALC1	Phosphate with Carbon	Reduces Lime / Scale / Deposits / Bad Taste / Odor	9-3/4" x 2-7/8"
37-2552P	SHRINK	GALC2	100% Phosphate	Reduces Lime / Scale / Hard Water Deposits	9-3/4" x 2-7/8"



"E" SERIES REPLACEMENT CARTRIDGES FOR EVERPURE ™

CARBON BLOCK - WITH PHOSPHATE & LEAD REMOVER

For Permanent **EVERPURE** Head Systems









37-2502	BULK	H-50	Carbon Block with Phosphate	Reduces Bad Taste / Odor / Chlorine / Lime / Scale 1 Micron • 1000 Gal • 35.5 Cubic Inches	6" x 2-1/2"
37-2500	BULK	H-100		1 Micron • 2500 Gal • 35.5 Cubic Inches	12" x 2-1/2"
37-2510	BULK	H-200		1 Micron • 3000 Gal • 41 Cubic Inches	14" x 2-1/2"
37-2504	BULK	H-104	Lead Reduction	Reduces Lead / Cyst / Bad Taste / Odor / Lime / Scale	
			Block with Phosphate	1 Micron • 1250 Gal • 28.6 Cubic Inches	10" x 2-1/2"
37-2520	BULK	H-300		1 Micron • 2000 Gal • 41 Cubic Inches	14" x 2-1/2"



37-2560

37-2570

37-2576

20 INCH LONG REPLACEMENT CARTRIDGE

5 Micron Sediment and Carbon Block • 2-5/8" O.D. x 19-7/8" Lenght

Carbon

Carbon

Block

Block





37-2560

20" x 2-5/8" 20" x 2-5/8"

20" x 4" Carbon • Long Jumbo



= Reduces Lead

BULK

BULK/20 CAB-20



= Reduces CYST

Fine Rust / Sediment

10 Micron • 9000 Gallons



= Reduces Chlorine

12/20/02



BULK/20 POS5-20 Poly Spun


CAB-420



WATER FILTER HOUSINGS

WATER FILTER HOUSINGS ONLY

ITEM	PACK	COLOR	DESCRIPTION
37-2100P	SHRINK	WHITE	3/8" Inlet & Outlet for 9-3/4" Cartridges
37-2102P	SHRINK	CLEAR	3/8" Inlet & Outlet for 9-3/4" Cartridges
37-2150P	SHRINK	WHITE	3/4" Inlet & Outlet for 9-3/4" Cartridges
37-2152P	SHRINK	CLEAR	3/4" Inlet & Outlet for 9-3/4" Cartridges
37-2170P	SHRINK	BLUE	1" Inlet & Outlet for <u>"JUMBO BLUE"</u> Heavy Duty 10" Sump



HOUSINGS WITH FILTERS

HOU2	INGS 1	WITH FILTERS	
ITEM	PACK	DESCRIPTION	TYPE
37-1850P	SHRINK	3/4" White Housing • Pleated 20 Micron Filter • Reduces Rust & Sediment	SEDIMENT
37-1852P	SHRINK	3/8" White Housing • GAC Carbon Cartridge • Reduces Bad Taste & Odor	TASTE
37-1854	BOXED	 1/4" Double White Housing with Mounting Bracket 5 Micron Sediment Filter & GAC Coconut Carbon Filter Reduces Bad Taste, Odor, Chlorine, & Sediment Dispenser Faucet • Tubing & Water Supply Hook-Up 	SEDIMENT TASTE
37-1856	BOXED	1/4" Double Housing with Mounting Bracket • Lead, Cyst, Heavy Metal Reduction Filter • 5 Micron Sediment • 1 Micron Lead Reducing Carbon Block • Dispenser Faucet • Tubing & Water Supply Hook-Up	SEDIMENT TASTE CHEMICAL
37-1890P	SHRINK	1" Whole House "JUMBO BLUE" Heavy Duty Housing • Pleated 50 Micron Filter • Reduces Rust & Sediment	SEDIMENT
37-1900	BOXED	1" Double Whole House "JUMBO BLUE" Heavy Duty Housing • Pleated 50 Micron Filter Sediment & GAC Carbon Filter	S T







05/08/09

REVERSE OSMOSIS WATER FILTER HOUSINGS



Features of the LASCO Reverse Osmosis System

- 4 & 5 STAGE FILTRATION AND PURIFICATION PROCESS FOR WATER
 INCLUDES ALL FITTINGS, TUBING, & FAUCETS FOR EASY HOOK-UP •
 IMPROVES QUALITY & TASTE •
- 5-MICRON SEDIMENT FILTER THAT TRAPS DIRT, RUST, AND SAND PARTICLES
- **C**ARBON PRE-FILTER REDUCES MOST ORGANIC MATERIALS, SUCH AS CHLORINE, BAD TASTES, AND ODORS FROM THE WATER. THE REVERSE OSMOSIS SYSTEM PRE-FILTER CONTAINS CARBON, ALLOWING EXTRA FILTRATION AND EXTENDING THE LIFE OF THE **RO MEMBRANE**.
- THIN FILM COMPOSITE (TFC) SEMIPERMEABLE MEMBRANE SEPARATES THE PURIFIED WATER FROM THE REJECTED IMPURITIES, UP TO 96% OF ARSENIC, LEAD, FLUORIDE AND DISSOLVED SOLIDS, WHICH ARE FLUSHED FROM THE MEMBRANE AND DISPOSED DOWN THE DRAIN.
- 4 FINAL STAGE CARBON FILTER FINAL FILTRATION STAGE FOR FURTHER REDUCTION OF MATERIALS FROM THE WATER TO ENHANCE THE FINAL TASTE.
- AUTOMATIC SHUT-OFF VALVE WHEN THE STORAGE TANK HAS REACHED CAPACITY, THE AUTOMATIC SHUT-OFF VALVE STOPS THE FLOW OF WATER ENTERING THE SYSTEM, THEREBY CONSERVING WATER.

 AS WATER IS DRAINED FROM THE STORAGE TANK, THE FLOW IS ALLOWED TO RESUME THROUGH THE SYSTEM. THIS CYCLING PROCEDURE WORKS AUTOMATICALLY BY THE WATER PRESSURE.
- OPERATES ON 40 PSI TO 85 PSI WATER LINE PRESSURE.
- STORES UP TO 3 GALLONS OF PURIFIED WATER.
- PRODUCES ENOUGH PURIFIED WATER FOR AN AVERAGE FAMILY'S DAILY USE.

ITEM	PALLET QTY	TYPE	DESCRIPTION
37-1936	18	18 GAL • Taste / Sediment / Chemical / Delimer	4-Stage RO System with Air Gap
37-1938	18	18 GAL • Taste / Sediment / Chemical / Delimer	4-Stage RO System without Air Gap
37-1940	18	50 GAL • Taste / Sediment / Chemical / Delimer	4-Stage RO System with Air Gap
37-1942	18	50 GAL • Taste / Sediment / Chemical / Delimer	4-Stage RO System without Air Gap
37-1946	18	50 GAL • Taste / Sediment / Chemical / Delimer	5-Stage RO System with Air Gap
37-1948	18	50 GAL • Taste / Sediment / Chemical / Delimer	5-Stage RO System without Air Gap
37-1952	18	50 GAL • Taste / Sediment / Chemical / Delimer	4-Stage RO System with pump

COUNTERTOP WATER FILTERS

COU	COUNTERTOR WATER FIELD			
ITEM	PACK	DESCRIPTION	TYPE	
37-2000	BOXED	Countertop Water Filter • Hooks up to kitchen Faucet Aerator • GAC Carbon Taste / Odor / Chlorine Cartridge	TASTE	
37-2002	BOXED	Countertop Filter • Hooks up to Kitchen Faucet Aerator • Lead Reducing Carbon Block • Reduces Lead, Cyst, Heavy Metals, Sediments, Odors & Chlorine	CHEMICAL	
37-2050	BOXED	End of Faucet Filter • Hooks to the end of Kitchen Spout • Water Diverts from Standard Flow to Filtered Water	TASTE	
37-2060 37-2061	BOXED CARDED	Cartridge for end of Faucet Filter Above	TASTE	

HOUSING TYPE WATER FILTER INSTALLATION KITS


ITEM	PACK	DESCRIPTION
17-0957	CARDED	1/4" Poly Tubing Installation Kit for 3/8"
		Housing Type Filter • Includes Faucet,
		Tubing, and all necessary Fittings
17-0959	CARDED	Braided Flex Tubing Installation Kit for 3/8"
		Housing Type Filter • Includes Faucet,
		Tubing, and necessary Fittings
08-1301	CARDED	1/4" Poly Tubing Installation Kit for 3/8"
		Housing Type Filter • Includes Faucet,
		Tubing, and all necessary Fittings

FILTERS FOR FAUCET'S WITH FILTERS BUILT INTO KITCHEN FAUCET'S

37-2580 BULK Price Pfister 941-290 Filter 37-2590 BULK Moen • Micro Tech 1000 • Taste 37-2594 BULK Moen • Micro Tech 5000 • Lead / Cvst	ITEM	PACK	DESCRIPTION
	37-2580 I	BULK	Price Pfister 941-290 Filter
37-2594 RILLK Moen • Micro Tech 5000 • Lead / Cyst	37-2590 I	BULK	Moen • Micro Tech 1000 • Taste
Wilder Wilder Good Lead / Cyst	37-2594 I	BULK	Moen • Micro Tech 5000 • Lead / Cyst
09-6136 BULK Grohe Pull-Out Filter	09-6136 I	BULK	Grohe Pull-Out Filter

DRINKING WATER TEST KITS

ITEM	PACK	DESCRIPTION	
37-5000	BOXED	TDS Tester • Test for Total Desolved Solids	
37-5002	BOXED	PH Tester • Test for PH Levels	
37-5050	CARDED	Chlorine / Hardness Test Kit	
37-5052	CARDED	Lead Test Kit	
37-5054	CARDED	Pesticide Test Kit	
37-5058	CARDED	All in One Test Kit • Test for Pesticides, PH,	
		Nitrates, Chlorine, Hardness, Iron & Lead	









37-5052 37-5054

DISPENSER FAUCETS • ALL WATER DISPENSER FAUCETS ARE LOW LEAD • NSF 61 COMPLIANT

ITEM	PACK	DESCRIPTION
08-1303	CARDED	Chrome Plated 6" Standard Faucet
08-1307	CARDED	Chrome Plated 10" Long Reach Faucet
08-1331	CARDED	Chrome Plated Hot & Cold Dispenser Faucet
08-1337	CARDED	Chrome Plated ¼ Turn Ceramic Dispenser Faucet
08-1339	CARDED	White Plated ¼ Turn Ceramic Dispenser Faucet
08-1341	CARDED	Chrome Plated Air Gap Dispenser Faucet

Note: For Special Finish Dispenser Faucets, See Page 07-15

DISPENSER FAUCETS KITS & PARTS

ITEM	PACK	DESCRIPTION
08-1261	CARDED	Dispenser Faucet Repair Kit
08-1267	CARDED	Dispenser Faucet Black Handle & Spout Tip
08-1269	CARDED	Dispenser Faucet White Handle & Spout Tip
08-1280	BULK	Shank Extender For Dispenser Faucet
08-1281	CARDED	Same as above - No Lead Material

AERATOR DIVERTER VALVES


ITEM	PACK		DESCRIPTION	
09-2125	CARDED	1/4" Single Barb		
09-2131	CARDED	1/4" Double Barb		
09-2135	CARDED	3/8" Single Barb		

WRENCHES & MISCELLANEOUS

ITEM	PACK	DESCRIPTION
37-2252	BULK	Standard Housing Wrench
37-2253	CARDED	Standard Housing Wrench
37-2256	BULK	"BIG BLUE" Housing Wrench
37-2250	BULK	Cartridge Coupler • For Joining Two 10"
		Cartridges in a 20" Long Sump

O-RINGS

ITEM	PACK	DESCRIPTIO	N
02-7215	BULK	O-Ring for Slimline / Plymouth	3-3/8 x 3-5/8 x 1/8
02-7220	BULK	O-Ring for Amtek Full Size	3-3/4 x 4 x 1/8
02-7212	BULK	O-Ring for LASCO / Hydro-Flo	3-1/4 x 3-1/2 x 1/8
02-7234	BULK	O-Ring for LASCO / Easy-Well	3-7/16 x 3-5/8 x 5/32
02-7236	BULK	O-Ring for LASCO / Membrane Housing	2-3/16 x 2-7/16 x 1/8
02-7296	BULK	O-Ring for "Big Blue"/Easy-Well	5-3/8 x 5-5/8 x 1/8
02-7300	BULK	O-Ring for "Big Blue"/Plymouth	5.39 ID x .16 Wall
02-7298	BULK	O-Ring for "Big Blue"/Amtek	5-1/2 ID x 5-7/8 OD





11/23/09


WATER FILTERS HOOKUP & SPECIAL FITTINGS


VALVES & ADAPTERS

ITEM	PACK	DESCRIPTION					
17-0600	BULK	1/4" Compression Self Piercing Saddle Valve					
17-0601	CARDED	1/4" Compression Self Piercing Saddle Valve					
17-0651	CARDED	"C" Clamp Style Saddle Valve with1/4" Comp. Outlet					
17-0936	BULK	1/4" Tube x 1/4" FIP Angle Chrome Plated					
17-0937	CARDED	1/4" Tube x 1/4" FIP Angle Chrome Plated					
17-0938	BULK	1/4" Tube x 1/8" MIP Angle Chrome Plated					
17-0939	CARDED	1/4" Tube x 1/8" MIP Angle Chrome Plated					
17-0942	BULK	1/4" Tube x 1/4" MIP Straight Chrome Plated					
17-0943	CARDED	1/4" Tube x 1/4" MIP Straight Chrome Plated					
17-8438	BULK	7/16"-1/2" SJ #44 EZ Adapter with 1/8" Tap					
17-8439	CARDED	7/16"-1/2" SJ #44 EZ Adapter with 1/8" Tap					
17-8383	CARDED	7/16"-1/2" SJ #44 EZ Adapter with 1/4" Angle Valve					
17-8387	CARDED	3/4" FHT x 1/4" 90° Compression Valve					
17-8387 CARDED 17-8440 BULK		Plastic EZ Adapter with 1/4 QC					
17-8441 CARDED		Plastic EZ Adapter with 1/4 QC					
17-0441	CANDED	Flastic EZ Adapter With 1/4 QC					
17-6758	BULK	1/4" Female Compression x 3/8" Male Compression					
17-6759	CARDED	1/4" Female Compression x 3/8" Male Compression					
17-6754	BULK	3/8" Female Compression x 1/4" Male Compression					
17-6755	CARDED	3/8" Female Compression x 1/4" Male Compression					
17-6760	BULK	1/2" Female Compression x 3/8" Male Compression					
17-6761	CARDED	1/2" Female Compression x 3/8" Male Compression					
06-9101	CARDED	3/8" Female Comp x 1/4" Comp Outlet Tee					
06-9111	CARDED	3/8" Female Comp x 1/4" Comp Outlet Tee					
06-9117	CARDED	1/2" Female SJ x 1/4" Comp Outlet Tee					
06-9121	CARDED	1/2" Female SJ x 1/4" Comp Outlet Tee					
00-9121 CARDED		1/2 1 emale 55 x 1/4 Comp Outlet lee					
10-0011 CARDED 1/4" F		1/4" Female Comp x 1/2" Male Adapter					
		3/8" Female Comp x 1/2" Male Adapter					
10-0015	CARDED	7/16" Female Comp x 1/2" Male Adapter					
10-0017	CARDED	1/2" Female Comp x 1/2" Male Adapter					
		•					



DIVACKI	-13		
ITEM	PACK	DESCRIPTION	
37-2200 BULK		2" Ice Maker Filter Bracket	
37-2201	CARDED	2" Ice Maker Filter Bracket	
37-2202	BULK	2-1/2" Inline Filter Bracket	
37-2203	CARDED	2-1/2" Inline Filter Bracket	
37-2204	BULK	2-1/2" x 2" Combo Filter Bracket	
37-2211	CARDED	U Bracket for Slimline Filters	
37-2212	BULK	Single Bracket for Slimline Filters	
37-2213	CARDED	Single Bracket for Slimline Filters	
37-2214	BULK	Double Bracket for Slimline Filters	
37-2216	BULK	Single Bracket for Jumbo Filters	
37-2218	BULK	Double Bracket for Jumbo Filters	






03/01/09

L/SCO

TUBING & HOSE

STAINLESS STEEL • 1/2" FEMALE COMPRESSION

ITEM	PACK	DESCRIPTION
10-0944	CARDED	1/4" x 1/4" x 12" Braided Flex
10-0946	CARDED	1/4" x 1/4" x 2 Ft. Braided Flex
10-0950	CARDED	1/4" x 1/4" x 5 Ft. Braided Flex
10-0954	CARDED	1/4" x 1/4" x 10 Ft. Braided Flex
10-0958	CARDED	1/4" x 1/4" x 20 Ft. Braided Flex




POLY TUBING • 1/4" BULK

		.,	
ITEM	PACK	DESCRIPTION	LENGTH
16-1470	BULK	1/4" POLY "Milky" Tubing	100 feet
16-1478	BULK	1/4" POLY "Milky" Tubing	100 feet
16-1480	DISPENSER BOX	1/4" POLY "Milky" Tubing	100 feet
16-5000	SPOOL	1/4" POLY "Milky" Tubing	400 feet
16-6000 16-6002 16-6004 16-6006	BULK BULK BULK BULK	1/4" POLY "White" Tubing 1/4" POLY "Red" Tubing 1/4" POLY "Blue" Tubing 1/4" POLY "Yellow" Tubing	100 feet 100 feet 100 feet 100 feet




16-1470 16-1478 16-6000 thru 16-6006



COPPER • 1/4" BULK

ITEM PACK		DESCRIPTION	LENGTH
18-0262	BULK	1/4" Urility Copper Tubing	10 feet
18-0262L	SHRINK	1/4" Utility Copper Tubing	10 feet
18-0266	BULK	1/4" Utility Copper Tubing	15 feet
18-0266L	SHRINK	1/4" Utility Copper Tubing	15 feet
18-0270	BULK	1/4" Utility Copper Tubing 1/4" Utility Copper Tubing	25 feet
18-0270L	SHRINK		25 feet
18-0272	BULK	1/4" Utility Copper Tubing 1/4" Utility Copper Tubing	50 feet
18-0272L	SHRINK		50 feet




16-5000



REVERSE OSMOSIS


SPECIAL PARTS VALVES

ITEM	PACK	DESCRIPTION		
17-0560 17-0561 17-0562 17-0563 37-2300 37-2302	BULK CARDED BULK CARDED BULK BULK	1-1/2" Tubular x 1/4" Comp RO Discharge Saddle 1-1/2" Tubular x 1/4" Comp RO Discharge Saddle 1-1/2" Tubular x 3/8" Comp RO Discharge Saddle 1-1/2" Tubular x 3/8" Comp RO Discharge Saddle 1-1/2" Tubular x 3/8" Comp RO Discharge Saddle 1/4" Line • RO Drain Adapter for use with Garbage Disposal 3/8" Line • RO Drain Adapter for use with Garbage Disposal		
37-2360 BULK 37-2361 CARDED		1/4" Compression RO Shut-Off Valve 1/4" Compression RO Shut-Off Valve		
37-2380	BULK	3800 Gallon Meter Valve • 100 Gal Increments		
19-5620 19-5621 19-5622 19-5623 32-3202	BULK CARDED BULK CARDED BULK	1/4" x 1/8" Comp x MIP Straight Check Valve 1/4" x 1/8" Comp x MIP Straight Check Valve 1/4" x 1/8" Comp x MIP 90° Check Valve 1/4" x 1/8" Comp x MIP 90° Check Valve 1/8" x 1/8" MIP x MIP Stainless Steel Straight Check Valve		



REPLACEMENT FILTER KITS


37-2370P	BAGGED	RO Triple Pack Relacement Cartridge Kit Includes: 1 each 37-1878 Sediment Prefilter 1 each 37-1864 Carbon GAC Prefilter 1 each 37-1820 Polish Postfilter
37-2372P	BAGGED	RO Triple Pack Relacement Cartridge Kit Includes: 1 each 37-1878 Sediment Prefilter 1 each 37-1872 Carbon GAC Prefilter 1 each 37-1820 Polish Postfilter



19-5623

R.O. MEMBRANES, TANKS & RESTRICTORS

37-2390 37-2392 37-2394	BULK BULK BULK	15 Gallons Per Day TFC Membrane for 25 Gallons Per Day TFC Membrane for 50 Gallons Per Day TFC Membrane for the second se	or LASCO RO
37-2352 37-2354 37-2388	BULK BULK BULK	180 ML. 1/4" In-Line Restrictor 400 ML. 1/4" In-Line Restrictor RO Membrane Housing	Î
37-2410 37-2420 37-2422	BOXED BOXED BOXED	3.2 Gallon Metal Tank 5 Gallon Metal Tank 14 Gallon Metal Tank	37-2388





SEDIMENT FILTERS

<u>LASCO</u>	<u>AMETEK</u>	AMERICAN PLUMBER	FLOTEC	<u>OMNI</u>	<u>ACE</u>	MASTER PLUMBER	WATER PIK
37-1860P	S 1	W20CL	RS-2	RS-1	49641	614-800	-
37-1878P	P5	W5P	RS-3	_	45331	_	IR-20
37-1880P	P25	W25P	_	_	-	_	_
37-1882P	_	CW-50	RS-1	_	_	_	_
37-1886P	R30	W30PE	_	_	_	_	_
37-1888P	R50	W50PE	RS-1	_	-	_	_
37-1892P	R50-BBS	W50PHEHD	RS-4	RS-6	49563	852-582	_



TASTE & ODOR FILTERS

LASCO	AMETEK	AMERICAN PLUMBER	FLOTEC	<u>OMNI</u>	<u>ACE</u>	MASTER PLUMBER	WATER PIK
ı		1	I	ſ			ı
37-1862P	C-1	W5C1P	T-1	T01-S	59642	583-377	IR-40
37-1864P	GAC-10	WGC	T02	GAC-1	-	_	_
37-1866P	CC-10	wcc	_	_	49640	826-746	AP-117
37-1894P	GACBBS	WCCHD	_	_	48169	_	_
37-1872B	CBS-10	W5CB	_	_	_	_	_



CHEMICAL


<u>LASCO</u>	<u>AMETEK</u>	AMERICAN PLUMBER	FLOTEC	<u>OMNI</u>	<u>ACE</u>	MASTER PLUMBER	WATER PIK
37-1874	CMR-10R	WLC-R	LC-1	TC3S	48167	852-657	-

JACO NYLON VIBRA-PRUF® FITTINGS

ALL FITTINGS COME WITH STANDARD 1 PIECE INTEGRAL SLEEVE NUT

INSTALLATION INSTRUCTIONS FOR JACO TUBE FITTINGS

- 1 Cut the tubing end squarely and remove the internal and external burrs.
- 2 Insert the tubing through the back of the nut all the way through the nut assembly to the tube stop in the fitting body (see illustration). If the tubing does not enter the nut easily, loosen the nut one turn and then insert the tubing all the way to the tube stop in the fitting body.
- 3 Turn the nut hand tight.
- 4 Wrench tighten the nut 1-1/2 2 turns.
- 5 All nuts must be retightened when the system reaches projected operating temperature.



NOTE: Squeaking sound when tightening nut is normal. For pipe threaded connections, Teflon Tape* must be used. *Dupont's Reg. T.M. Patent 1983



FERRULE NUT
With integral
sleeve
low pressure
applications
all types of tubing

FERRULE NUT
With plastic
gripper for use
vith plastic tubing
for sure grip
*220 P.S.I.


FERRULE NUT With stainless steel gripper for use with hard & smooth surfaced tubing *220 P.S.I.

ASSEMBLY INSTRUCTIONS FOR JACO NUTS

PLEASE FOLLOW THESE DIAGRAMS IN ASSEMBLING NUTS.
AS SHOWN BELOW, INSERT GRIPPER (B) INTO NUT (A).
PUSH SLEEVE (C) INTO NUT ASSEMBLY.

NOTE: IT IS NOT

NECESSARY TO
DISASSEMBLE THIS
FITTING FOR
APPLICATION.
MERELY INSERT
TUBING TO STOP
AND TIGHTEN SEAL.



FITTINGS

ITEM DESCR	IPTION	BULK	QTY	CARDED	QTY	
MALE ADAPTERS	 Comp x MIP 					
1/4 O.D. Tube x 1/8 MIP	Integral Sleeve	19-5002	10	19-5003	6	
1/4 O.D. Tube x 1/4 MIP	Integral Sleeve	19-5004	10	19-5005	6	
1/4 O.D. Tube x 3/8 MIP	Integral Sleeve	19-5006	10	19-5007	6	
3/8 O.D. Tube x 1/8 MIP	Integral Sleeve	19-5012	10	19-5013	6	├── ┤ ╟ ╟ <u></u> ┼╜
3/8 O.D. Tube x 1/4 MIP	Integral Sleeve	19-5014	10	19-5015	6	
3/8 O.D. Tube x 3/8 MIP	Integral Sleeve	19-5016	10	19-4017	6	19-5002
3/8 O.D. Tube x 1/2 MIP	Integral Sleeve	19-5018	10	19-5019	6	thru 19-5019
1/2 O.D. Tube x 1/4 MIP	Integral Sleeve	19-5022	10	19-5023	6	19-3019
1/2 O.D. Tube x 3/8 MIP	Integral Sleeve	19-5024	10	19-5025	6	
1/2 O.D. Tube x 1/2 MIP	Integral Sleeve	19-5026	10	19-5027	6	
5/8 O.D. Tube x 3/8 MIP	S.S. Gripper Sleeve	19-5028	10	19-5029	6	
5/8 O.D. Tube x 1/2 MIP	S.S. Gripper Sleeve	19-5030	10	19-5031	6	
7/8 O.D. Tube x 3/4 MIP	S.S. Gripper Sleeve	19-5036	10	19-5037	6	

JACO NYLON VIBRA-PRUF® FITTINGS

ALL FITTINGS COME WITH STANDARD 1 PIECE INTEGRAL SLEEVE NUT

DESCRIPTION	BULK	QTY	CARDED	QTY	-
UNIONS • Comp x Comp					•
1/4 O.D. x 1/4 O.D. Tube Integral Sleeve 3/8 O.D. x 3/8 O.D. Tube Integral Sleeve 1/2 O.D. x 1/2 O.D. Tube Integral Sleeve 5/8 O.D. x 5/8 O.D. Tube S.S. Gripper Sleeve 7/8 O.D. x 7/8 O.D. Tube S.S. Gripper Sleeve	19-5040 19-5044 19-5046 19-5048 19-5050	10 10 10 10 10	19-5041 19-5045 19-5047 19-5049 19-5051	6 6 6 6	
1/4 O.D. x 1/8 O.D. Tube Integral Sleeve 3/8 O.D. x 1/4 O.D. Tube Integral Sleeve 1/2 O.D. x 3/8 O.D. Tube Integral Sleeve 5/8 O.D. x 3/8 O.D. Tube S.S. Gripper Sleeve 5/8 O.D. x 1/2 O.D. Tube S.S. Gripper Sleeve 7/8 O.D. x 5/8 O.D. Tube S.S. Gripper Sleeve	19-5060 19-5064 19-5066 19-5068 19-5070 19-5072	10 10 10 10 10	19-5061 19-5065 19-5067 19-5069 19-5071 19-5073	6 6 6 6	19-5040 thru 19-5067
MALE 90° ELL • Comp x MIP					
1/4 O.D. Tube x 1/8 MIP Integral Sleeve 1/4 O.D. Tube x 1/4 MIP Integral Sleeve 1/4 O.D. Tube x 3/8 MIP Integral Sleeve 3/8 O.D. Tube x 1/4 MIP Integral Sleeve 3/8 O.D. Tube x 3/8 MIP Integral Sleeve 1/2 O.D. Tube x 3/8 MIP S.S. Gripper Sleeve 1/2 O.D. Tube x 3/8 MIP S.S. Gripper Sleeve 1/2 O.D. Tube x 1/2 MIP S.S. Gripper Sleeve 5/8 O.D. Tube x 1/2 MIP S.S. Gripper Sleeve	19-5082 19-5084 19-5086 19-5092 19-5094 19-5098 19-5100 19-5102	10 10 10 10 10 10 10 10	19-5083 19-5085 19-5087 19-5093 19-5095 19-5097 19-5099 19-5101 19-5103	6 6 6 6 6 6 6	19-5082 thru 19-5095
UNION ELBOWS • Comp x Comp					
1/4 O.D. Tube Integral Sleeve 3/8 O.D. Tube Integral Sleeve 1/2 O.D. Tube S.S. Gripper Sleeve 5/8 O.D. Tube S.S. Gripper Sleeve 7/8 O.D. Tube S.S. Gripper Sleeve	19-5104 19-5110 19-5112 19-5114 19-5116	10 10 10 10 10	19-5105 19-5111 19-5113 19-5115 19-5117	6 6 6 6	19-5104 thru 19-5111
UNION TEES • Comp					
1/4 O.D. Tube Integral Sleeve 3/8 O.D. Tube Integral Sleeve 1/2 O.D. Tube S.S. Gripper Sleeve 5/8 O.D. Tube S.S. Gripper Sleeve 7/8 O.D. Tube S.S. Gripper Sleeve	19-5124 19-5130 19-5132 19-5134 19-5136	10 10 10 10 10	19-5125 19-5131 19-5133 19-5135 19-5137	6 6 6 6	
7/8 x 7/8 x 5/8 O.D. Tube S.S. Gripper Sleeve	19-5138	10	19-5139	6	19-5124
MALE TEES • Comp x MIP					thru 19-5131
1/4 O.D. Tube x 1/8 MIP Integral Sleeve 1/4 O.D. Tube x 1/4 MIP Integral Sleeve 3/8 O.D. Tube x 1/4 MIP Integral Sleeve 3/8 O.D. Tube x 3/8 MIP Integral Sleeve 1/2 O.D. Tube x 3/8 MIP S.S. Gripper Sleeve 1/2 O.D. Tube x 1/2 MIP S.S. Gripper Sleeve 5/8 O.D. Tube x 1/2 MIP S.S. Gripper Sleeve	19-5140 19-5142 19-5146 19-5148 19-5150 19-5152 19-5154	10 10 10 10 10 10 10	19-5141 19-5143 19-5147 19-5149 19-5151 19-5153 19-5155	6 6 6 6 6	19-5124 thru 19-5131

JACO NYLON VIBRA-PRUF® FITTINGS

ALL FITTINGS COME WITH STANDARD 1 PIECE INTEGRAL SLEEVE NUT

DESCRIPTION	BULK	QTY	CARDED	QTY	•
MALE RUN TEES • Comp x MIP					
1/4 O.D. Tube x 1/8 MIP Integral Sleeve	19-5160	10	19-5161	6	
1/4 O.D. Tube x 1/4 MIP Integral Sleeve	19-5162	10	19-5163	6	
FEMALE ADAPTER • Comp x FIP					19-5160
5/8 O.D. x 1/2 FIP S.S. Gripper Sleeve	19-5080	10	19-5081	6	thru 19-5163
NUT WITH INTEGRAL SLEEVE					
1/4 O.D. Tube Nut	19-5202	10	19-5203	6	
3/8 O.D. Tube Nut	19-5206	10	19-5207	6	
1/2 O.D. Tube Nut	19-5208	10	19-5209	6	19-5080 19-5081

NUT WITH PLASTIC GRIPPER (USED FOR HI PRESSURE 220 PSI SITUATIONS)

19-5212	BULK	1/4 Plastic Grip Nut	10
19-5213	CARDED	1/4 Plastic Grip Nut	6
19-5216	BULK	3/8 Plastic Grip Nut	10
19-5217	CARDED	3/8 Plastic Grip Nut	6



19-5202 thru 19-5217

VALVES

ITEM	PACKAGE	DESCRIPTION	PACK
VALVES	STRAIGH	IT TUBE x FIP	
19-5510	BULK	1/4 x 1/4	10
19-5511	CARDED	1/4 x 1/4	6
19-5512	BULK	3/8 x 1/4	10
19-5513	CARDED	3/8 x 1/4	6
VALVES	S ANGLE T	UBE x FIP	
19-5520	BULK	1/4 x 1/4	10
19-5521	CARDED	1/4 x 1/4	6
19-5522	BULK	3/8 x 1/4	10
19-5523	CARDED	3/8 x 1/4	6

JOHN GUEST PUSH-IN FITTINGS

GREY ACETAL COPOLYMER • GOOD FOR PRESSURE (AIR) UP TO 150 PSI USE ON POLYETHYLENE, BRAIDED, OR SOFT COPPER TUBING

HOW TO MAKE A CONNECTION

To make a connection, the tube is simply pushed in by hand; the unique patented JOHN GUEST collet locking system then holds the tube firmly in place without deforming or restricting the flow.

Cut tube square



Cut tube square. It is essential that the outside diameter be free of score marks and that the burrs and sharp edges be removed before inserting into fitting.

3 Push up to tube stop



Push the tube into the fitting, to the tube stop. The collet (gripper) has stainless steel teeth which holds the tube firmly in position while the "O" ring provides a permanent leak proof seal.

Insert tube



Fitting grips before it seals. Ensure tube is pushed into the tube stop.

4 Pull to check secure



Pull on the tube to check that it is secure. It is good practice to test the system prior to leaving the site and / or before use.

DISCONNECTING


Push in collet and remove tube



To disconnect, insure the system is depressurized before removing fitting. Push in collet squarely against the face of the fitting. With the collet held in this position, the tube can be removed. The fitting can then be reused.

FITTINGS

ITEM	PACK	DESCRIPTION	CTN. QTY
MALE A	ADAPTE	RS	
19-6002	BULK	1/4 Tube x 1/8 Pipe	10
19-6003	CARDED	·	6
19-6004	BULK	1/4 Tube x 1/4 Pipe	10
19-6005	CARDED		6
19-6006	BULK	1/4 Tube x 3/8 Pipe	10
19-6007	CARDED		6
19-6012	BULK	3/8 Tube x 1/8 Pipe	10
<u>19-6013</u>	CARDED		6_
19-6014	BULK	3/8 Tube x 1/4 Pipe	10
19-6015	CARDED	•	6_
19-6016	BULK	3/8 Tube x 3/8 Pipe	10
19-6017	CARDED		6



JOHN GUEST PUSH-IN FITTINGS


GREY ACETAL COPOLYMER • GOOD FOR PRESSURE (AIR) UP TO 150 PSI USE ON POLYETHYLENE, BRAIDED, OR SOFT COPPER TUBING


FITTINGS


ITEM	PACK	DESCRIPTION CTN	. QTY
MALE	ADAPTE	RS	
19-6082	BULK	1/4 Comp x 1/8 MIP 90° EII	10
19-6083	CARDED	•	6
19-6084	BULK	1/4 Comp x 1/4 MIP 90° EII	10
19-6085	CARDED	·	6
19-6086	BULK	1/4 Comp x 3/8 MIP 90° EII	10
19-6087	CARDED	•	6
19-6092	BULK	3/8 Comp x 1/4 MIP 90° EII	10
19-6093	CARDED		6
COUPL	ING T x	Т	
19-6040	BULK	1/4	10
19-6041	CARDED		6
19-6044	BULK	3/8	10
19-6045	CARDED		6
19-6064	BULK	3/8 x 1/4 Reducing	10
19-6065	CARDED		6
ELBOV	V		
19-6104	BULK	1/4	10
19-6105	CARDED		6
19-6110	BULK	3/8	10
19-6111	CARDED		6
19-6114	BULK	3/8 x 1/4 Reducing	10
19-6115	CARDED		6
TEE			
19-6124	BULK	1/4	10
19-6125	CARDED		6
19-6130	BULK	3/8	10
19-6131	CARDED		6
19-6134	BULK	3/8 x 1/4 x 3/8 Reducing	10
19-6135	CARDED		6
STEM A	ADAPTER	₹	
19-6150	BULK	1/4 Stem x 1/8 MIP	10
19-6151	CARDED		6
19-6152	BULK	1/4 Stem x 1/4 MIP	10
19-6153	CARDED		6
19-6154	BULK	3/8 Stem x 1/4 MIP	10
	CARDED		6
19-6156		3/8 Stem x 3/8 MIP	10
19-6157	CARDED		6


LASCO













JOHN GUEST PUSH-IN FITTINGS

GREY ACETAL COPOLYMER • GOOD FOR PRESSURE (AIR) UP TO 150 PSI USE ON POLYETHYLENE, BRAIDED, OR SOFT COPPER TUBING


FITTINGS

ITEM	PACK	DESCRIPTION	CTN. QTY
FEMAL	E ADAPT	ERS	
19-6172	BULK	1/4 Tube x 1/4 FIP	10
19-6173	CARDED		6
19-6174	BULK	3/4 Tube x 1/4 FIP	10
19-6175	CARDED		6
FAUCE	T CONNE	CTORS	
19-6180	BULK	1/4 X 7/16-24	10
19-6181	CARDED		6
19-6182	BULK	3/8 X 7/16-24	10
19-6183	CARDED		6
LOCKII	NG CLIP		
19-6200	BULK	1/4	10
19-6201	CARDED		6
19-6202	BULK	3/8	10
19-6203	CARDED		6
END C	AP		
19-6210	BULK	1/4	10
19-6211	CARDED		6
19-6212	BULK	3/8	10
19-6213	CARDED		6












VALVES

ITEM	PACK	DESCRIPTION	CTN. QTY
STRAIG	GHT TUB	E x TUBE	
19-6500	BULK	1/4	10
19-6501	CARDED		6
19-6502	BULK	3/8	10
19-6503	CARDED		6
STRAIG	GHT TUB	E x FIP	
19-6510	BULK	1/4	10
19-6511	CARDED		6
19-6512	BULK	3/8	10
19-6513	CARDED		6
ANGLE	TUBE x	FIP	
19-6520	BULK	1/4 x 1/4	10
19-6521	CARDED		6
19-6522	BULK	3/8 x 3/8	10
19-6523	CARDED		6









ITEM	OEM NO.	DESCRIPTION
------	---------	-------------

A	CARTRIDGES	. 100	DACKED	DV	Tur	DAID
ALL	CARTRIDGES	SARE	PACKED	DY	IHE	PAIR


37-1034	AP-11T NSF	Whole House • Dirt / Rust Water Filter • See Through Housing With Built-in Pressure Relief • 10 Year Warranty • 3/4 NPT • 6 GPM • Cold Water
37-1038	AP-101S	Whole House • Dirt / Rust Water Filter • Solid Housing With Built-in Shut-off Valve • 3/4 NPT • 6 GPM • Cold Water
37-1070	AP-110	Standard Replacement Cartridge For AP-11T & AP-101S • 5 Micron • Dirt / Rust • 1 Pair
37-1072	AP-124	Heavy Duty Replacement Cartridge For AP-11T & AP-101S • 50 Micron • Dirt / Rust • 1 Pair

37-1036	AP-51T NSF	Point of Use • Dirt / Rust • Taste / Odor Water Filter • See Through Housing With Built-in Pressure Relief • 10 Year Limited Warranty • 3/4 NPT • 3 GPM • Cold Water
37-1076	AP-117	Replacement Cartridge For AP-51T • Dual Action • 5 Micron • Dirt / Rust • Activated Carbon
37-1080	AP-S-117	Replacement Cartridge For AP-51T Triple Action • Dirt / Rust • Taste / Odor • Scale

37-1200	AP-500	NSF	Point of Use • Triple Action Filter 10 Year Warranty • Dirt / Rust • Taste / Odor • Scale • 3/8" NPT • 2 GPM • Cold Water
37-1202	AP-517		Replacement Cartridge For AP-500 Triple Action • Dirt / Rust • Taste / Odor • Scale

37-1044	AP-200	NSF	Under-Sink Water Filter 10 Year Warranty • Dual Action • Dirt / Rust • Taste / Odor • 3/8 NPT • 1 GPM • Compact Design
37-1046	AP-217		Replacement Cartridge For AP-200





















10/16/06

AQUA PURE WATER FILTERS

ITEM	OEM NO.	DESCRIPTION	
37-1048	AP-300 (NSF)	Point Of Use Water Filter • Triple Action • Dirt / Rust • Taste / Odor • Scale • Built in shut-off • With Mounting Bracket • ¼ NPT • ½ GPM	Agas 7:49
37-1050	AP-317	Replacement Cartridge For AP-300 Triple Action • Dirt / Rust • Taste / Odor • Scale	37-1050
37-1052	AP-400	Hot Water Heater Filter • Dual Action • Dirt / Rust • Scale • ¾ FPT • 6 GPM • Cold Water Feed • Stainless Steel Housing With Brass Head	
37-1054	AP-410	Replacement Cartridge For AP-400 Dual Action • Dirt / Rust • Scale	37-1048
37-1040	AP-1610 NSF	Heavy Duty Whole House Filter • Stainless Steel Housing With Brass Head Rated To 300 PSI. • 10 Year Warranty • Dirt / Rust • ¾ FPT • 6 GPM • Hot Or Cold Water	37-1054
37-1070	AP-110	Standard Replacement Cartridge For AP-1610 5 Micron • Dirt / Rust	
37-1072	AP-124	Heavy Duty Replacement Cartridge For AP-1610 50 Micron • Dirt / Rust	37-1040
37-1076	AP-117	Replacement Cartridge For AP-1610 Dual Action • Dirt / Rust • Taste / Odor	
37-1080	AP-S-117	Replacement Cartridge For AP-1610 Triple Action • Dirt / Rust • Taste / Odor • Scale	37-1070 37-1072 37-1080
37-1078	AP-420	Replacement Cartridge For AP-1610 Dual Action • Dirt / Rust • Scale	
			Apa Por
37-1056	AP-450	Scale Stopper Filter With Bracket 1/4 FPT • 1/2 GPM • Cold Water	37-1078
37-1058	AP-460	Replacement Cartridge For AP-450	
REPLACEMENT PARTS			37-1058
37-1060	AP-35076-75C	Gasket For AP-200	37-1056
37-1062	AP-63562-01	Gasket For AP-400 & AP-1610	37-1060 37-1092
37-1092	AP-36851-34C	Gasket For AP10	
37-1096	AP-34245-31C	Seal Plate For AP-10	37-1062
			27 1006

37-1096