

| Product Name | | Disposer Care® | |
|--|-----------------------|--|--|
| CAS # | | Mixture | |
| Product use | | Garbage disposal cleaner | |
| Manufacturer | | Iron Out dba Summit Brands 7201 Engle Road Fort Wayne, IN 46804-5875 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC) | |
| LEGEND HMIS/NFP | | Health / 1 | |
| Severe Serious Moderate Slight Minimal | 4 3 2 1 0 | Flammability 0 Physical Hazard 0 Personal Protection X | |
| | | 2. Hazards Identification | |
| Emergency ove | erview | | |

1. Product and Company Identification

| Potential short term health effects | | |
|-------------------------------------|--|--|
| Routes of exposure | Eye, Skin contact, Inhalation, Ingestion. | |
| Eyes | Causes irritation. | |
| Skin | May cause irritation. | |
| Inhalation | Dusts of this product may cause irritation of the nose, throat, and respiratory tract. | |
| Ingestion | May cause stomach distress, nausea or vomiting. | |
| Target organs | Eyes. Respiratory system. Skin. | |
| Chronic effects | Prolonged or repeated exposure can cause drying, defatting and dermatitis. | |
| Signs and symptoms | Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. | |
| OSHA Regulatory Status | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. | |
| Potential environmental effects | See section 12. | |

CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

3. Composition / Information on Ingredients

| Ingredient(s) | CAS # | Percent |
|-------------------------------------|------------|---------|
| Sodium lauryl sulfate | 151-21-3 | 7 - 13 |
| Sulfonic acids, alkyl, sodium salts | 68439-57-6 | 7 - 13 |
| Malic acid | 6915-15-7 | 15 - 40 |

4. First Aid Measures

| First aid procedures | |
|----------------------|---|
| Eye contact | Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention if irritation develops or persists. |
| Skin contact | Brush away excess of dry material. Flush with water. Obtain medical attention if irritation persists. |
| Inhalation | If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. |

| Ingestion | Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention. | | |
|--|--|--|--|
| Notes to physician | Symptoms may be delayed. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children. | | |
| General advice | | | |
| | 5. Fire Fighting Measures | | |
| Flammable properties | Not flammable by WHMIS/OSHA criteria. | | |
| Extinguishing media | | | |
| Suitable extinguishing media | Dry chemical. Carbon dioxide. Foam. Water. | | |
| Unsuitable extinguishing media | Not available | | |
| Protection of firefighters | | | |
| Specific hazards arising from the chemical | Not available | | |
| Protective equipment for firefighters | Firefighters should wear full protective clothing including self contained breathing apparatus. | | |
| Hazardous combustion products | May include and are not limited to: Oxides of carbon. Oxides of sulfur. | | |
| Explosion data | | | |
| Sensitivity to mechanical impact | Not available | | |
| Sensitivity to static discharge | Not available | | |
| | 6. Accidental Release Measures | | |
| Personal precautions | Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. | | |

Environmental precautions Methods for containment Methods for cleaning up

Prevent entry into waterways, sewers, basements or confined areas. Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Do not discharge into lakes, streams, ponds or public waters.

HandlingUse good industrial hygiene practices in handling this material.
Avoid contact with eyes and skin.
Avoid breathing dust.
Wash thoroughly after handling.StorageKeep out of reach of children.
Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

| Exposure limits | |
|-------------------------------------|---|
| Ingredient(s) | Exposure Limits |
| Malic acid | ACGIH-TLV |
| | TWA: 10 mg/m3 |
| | OSHA-PEL |
| | TWA: 15 mg/m3 |
| Sodium lauryl sulfate | ACGIH-TLV |
| | Not established |
| | OSHA-PEL |
| | Not established |
| Sulfonic acids, alkyl, sodium salts | ACGIH-TLV |
| | Not established |
| | OSHA-PEL |
| | Not established |
| Engineering controls | General ventilation normally adequate. |
| Personal protective equipment | |
| Eye / face protection | Wear safety glasses with side shields. |
| Hand protection | Rubber gloves. Confirm with a reputable supplier first. |
| Skin and body protection | As required by employer code. |
| Respiratory protection | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product. |

9. Physical and Chemical Properties

| Appearance | Powder |
|--|-------------------------|
| Color | White / Light blue |
| Form | Powder |
| Odor | Lemon detergent |
| Odor threshold | Not available |
| Physical state | Solid |
| рН | 5.48 - 6.32 (1%) @ 20°C |
| Melting point | Not available |
| Freezing point | Not available |
| Boiling point | Not applicable |
| Pour point | Not available |
| Evaporation rate | Not applicable |
| Flash point | None |
| Auto-ignition temperature | Not applicable |
| Flammability limits in air, lower, % by volume | Not applicable |
| Flammability limits in air, upper, % by volume | Not applicable |
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Specific gravity | Not available |
| Octanol/water coefficient | Not available |
| Solubility (H2O) | Complete |
| Viscosity | Not applicable |
| Percent volatile | Not available |
| | |

10. Stability and Reactivity

| Reactivity | This product may react with strong alkalies. |
|------------------------------------|---|
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Chemical stability | Stable under recommended storage conditions. |
| Conditions to avoid | Do not mix with other chemicals. |
| Incompatible materials | Caustics. Acids. Oxidizers. Reducing agents. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. Oxides of sulfur. |

11. Toxicological Information

| Component analysis - LC50 | |
|---|--|
| Ingredient(s) | LC50 |
| Malic acid | Not available |
| Sodium lauryl sulfate | Not available |
| Sulfonic acids, alkyl, sodium salts | Not available |
| Component analysis - Oral LD50 | |
| Ingredient(s) | LD50 |
| Malic acid | 3200 mg/kg rat |
| Sodium lauryl sulfate | 1288 mg/kg rat |
| Sulfonic acids, alkyl, sodium salts | 1600 mg/kg rat |
| Effects of acute exposure | |
| Еуе | Causes irritation. |
| Skin | May cause irritation. |
| Inhalation | Dusts of this product may cause irritation of the nose, throat, and respiratory tract. |
| Ingestion | May cause stomach distress, nausea or vomiting. |
| Sensitization | Non-hazardous by WHMIS/OSHA criteria. |
| Chronic effects | Non-hazardous by WHMIS/OSHA criteria. |
| Carcinogenicity | Not classified or listed by IARC, NTP, OSHA and ACGIH. |
| Mutagenicity | Non-hazardous by WHMIS/OSHA criteria. |
| Reproductive effects | Non-hazardous by WHMIS/OSHA criteria. |
| Teratogenicity | Non-hazardous by WHMIS/OSHA criteria. |
| Name of Toxicologically Synergistic Products | Not available |

12. Ecological Information

| Ecotoxicity | See below | |
|---------------------------------------|--------------------|---|
| Ecotoxicity - Freshwater Fish - Ad | cute Toxicity Data | |
| Sulfonic acids, alkyl, sodium salts | 68439-57-6 | 96 Hr LC50 Brachydanio rerio: 1.0-10.0 mg/L [static]; 96 Hr LC50 Brachydanio rerio: 12.2 mg/L [semi-static] |
| Persistence / degradability | Not available | e |
| Bioaccumulation / accumulation | Not available | e |
| Mobility in environmental media | Not available | e |
| Environmental effects | Not available | e |
| Aquatic toxicity | Not available | e |
| Partition coefficient | Not available | e |
| Chemical fate information | Not available | e |
| Other adverse effects | Not availabl | e |
| | | |

13. Disposal Considerations

Disposal instructions

Review federal, state/provincial, and local government requirements prior to disposal.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

| | 15: negalatory information | |
|--|--|------------------------|
| Canadian federal regulations | This product has been classified in accordance with the hat Products Regulations and the MSDS contains all the inform Controlled Products Regulations. | |
| Canada - WHMIS - Ingredient Disc | losure List | |
| Malic acid | 6915-15-7 1 % | |
| WHMIS status | Controlled | |
| WHMIS classification | Class D - Division 2B | |
| WHMIS labeling | | |
| \bigcirc | | |
| Occupational Safety and Health | Administration (OSHA) | |
| 29 CFR 1910.1200 hazardous chemical | Yes | |
| US Federal regulations | This product is a "Hazardous Chemical" as defined by the Communication Standard, 29 CFR 1910.1200. | OSHA Hazard |
| U.S CAA (Clean Air Act) - HON F | Rule - SOCMI Chemicals | |
| Malic acid | 6915-15-7 Group I | |
| U.S CAA (Clean Air Act) - Volati Malic acid | e Organic Compounds (VOCs) in SOCMI 6915-15-7 Present | |
| CERCLA (Superfund) reportable | | |
| Trans-butenedioic Acid: 5000.0 | | |
| Superfund Amendments and Rea | | |
| | Immediate Hazard - Yes | |
| Hazard categories | Delayed Hazard - No | |
| | Fire Hazard - No | |
| | Pressure Hazard - No Reactivity Hazard - No | |
| Section 202 extremely | No | |
| Section 302 extremely hazardous substance | INO | |
| Section 311 hazardous chem | ical Yes | |
| Clean Water Act (CWA) | Hazardous substance | |
| State regulations | This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. | |
| Inventory name | | |
| Country(s) or region | Inventory name | On inventory (yes/no) |
| Canada | Domestic Substances List (DSL) | Ye |
| Canada | Non-Domestic Substances List (NDSL) | N |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Ye |
| A "Yes" indicates that all component | s of this product comply with the inventory requirements administered by th | e governing country(s) |

16. Other Information

| Disclaimer | The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1. |
|-------------------|--|
| Issue date | 19-Dec-2012 |
| Effective date | 01-Feb-2013 |
| Expiry date | 01-Feb-2016 |
| Prepared by | Dell Tech Laboratories Ltd. (519) 858-5021 |
| Other information | For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document. |