


# PRESSURE WASHER



DESCRIPTION	ITEM	QTY	DESCRIPTION	ITEM	QTY
<b>QUICK CONNECTS FITTINGS</b>			<b>BRASS ADAPTER FITTINGS</b>		
<b>High Pressure Quick Couplers • Brass • 300° F • 5500 PSI</b>			<b>22MM • Karcher</b>		
1/4" Male Pipe Thread	60-1001	1	1/4" Female Pipe Thread	60-1051	1
1/4" Female Pipe Thread	60-1003	1	1/4" Male Pipe Thread	60-1053	1
3/8" Male Pipe Thread	60-1005	1	3/8" Female Pipe Thread	60-1055	1
3/8" Female Pipe Thread	60-1007	1	3/8" Male Pipe Thread	60-1057	1
<b>Plugs For Couplers • Steel • 300° F • 5500 PSI</b>			<b>SOAP &amp; SPRAY NOZZELS</b>		
1/4" Male Pipe Thread	60-1011	1	<b>• 1/4 QUICK CONNECT</b>		
1/4" Female Pipe Thread	60-1013	1	Soap Nozzel • 40.0 Orifice	60-1201	1
3/8" Male Pipe Thread	60-1015	1	• 65° Flat Spray		
3/8" Female Pipe Thread	60-1017	1	0° Blasting Spray • 4.5 Orifice	60-1251	1
			15° Chiseling Spray • 4.5 Orifice	60-1253	1
			25° Flushing Spray • 4.5 Orifice	60-1255	1
			40° Wide Spray • 4.5 Orifice	60-1257	1
			5 Piece Nozzel Set • 4.5 Orifice	60-1297	1
			• 0°, 15°, 25°, 40° Soap		
			0° Blasting Spray • 3.0 Orifice	60-1241	1
			15° Chiseling Spray • 3.0 Orifice	60-1243	1
			25° Flushing Spray • 3.0 Orifice	60-1245	1
			40° Wide Spray • 3.0 Orifice	60-1247	1
			5 Piece Nozzel Set • 3.0 Orifice	60-1293	1
			• 0°, 15°, 25°, 40° Soap		

02/28/06



# PRESSURE WASHER



60-1321



60-1323



60-1325  
60-1327



60-1401



60-1413



60-1415



60-1417



60-1517



60-1620  
60-1626



60-3006  
60-3002



60-1651



60-1671



60-1683

DESCRIPTION	ITEM	QTY	DESCRIPTION	ITEM	QTY
<b>MISCELLANEOUS NOZZELS &amp; PARTS</b>			<b>CHROME INSULATED WANDS • 300°F • 4000 PSI • 12 GPM</b>		
Rotating Turbo Spray Nozzel • 1/4 QC 170° • 2400PSI • 4.5 Orifice	60-1321	1	1/4" MNPT x 36 Inch	60-1620	1
Deluxe Rotating Turbo Spray Nozzel • With Filter • 1/4 QC 170° • 2400PSI • 4.5 Orifice	60-1323	1	1/4" MNPT x 79 Inch	60-1626	1
Multi-Flow Adjustable Nozzel • 1/4 FIP • 300° F • 3000 PSI • 0° Solid Stream to 80° Flat Stream • High or Low Pressure Mode • 4.5 Orifice	60-1325	1	<b>REPLACEMENT HOSES</b>		
Multi-Flow Adjustable Nozzel • 1/4 FIP • 300° F • 3000 PSI • 0° Solid Stream to 80° Flat Stream • High or Low Pressure Mode • 3.0 Orifice	60-1327	1	3/8" x 50' Non-marking • 250°F • 4000 PSI • Quick Connect	60-3006	1
Adjustable Side Handle • Fits 1/4" Wand	60-1401	1	5/16" x 25' Economy • 140°F • 3600 PSI • Quick Connect	60-3002	1
Adjustable Soap & Chemical Injector • 3/8" QC • 200° F • 4000 PSI	60-1413	1	Water Broom • 12' Wide • 3 GPM • 3 Nozzles • 4000 PSI • Quick Connect	60-1651	1
Turbo Nozzel Filter/Strainer • 1/4 MIP x 1/4 QC • 200° F • 4000 PSI	60-1415	1	Pressure Washer • Pump Oil • 1 Liter	60-1654	1
Inlet Water Filter/Strainer • FHT x 1/2 MIP Outlet • 140° F • 145 PSI	60-1417	1	Pressure Washer O-ring Kit • 6 Pc • (2) 1/2" ID x 11/16" OD • (4) 3/8" ID x 9/16" OD	60-1671	1
Gutter Cleaner Attachment • U-Shaped With 1/4 Quick Connect	60-1517	1	Replacement Filter for Soap & Chemical Injector	60-1683	1



# PRESSURE WASHER



60-2001



60-2005



60-2050



60-2810



60-2812



60-2814



60-2816



60-2830



60-2870



60-2123




60-2125



60-0100



60-0200

DESCRIPTION	ITEM	QTY	DESCRIPTION	ITEM	QTY
<b>REPLACEMENT SPRAY GUNS &amp; KITS</b>			<b>PRESSURE WASHERS</b>		
Front Load Gun Only 210°F • 2750 PSI • Inlet 3/8 FNPT • Outlet 1/4" FNPT	60-2001	1	2 HP Electric • 1 Phase • 110V  • Includes GFCI (Ground Fault Circuit Interruptor) • 1500 PSI • 2.0 GPM • 10" Tubed Pneumatic Tires • 25' Steel Braided Rubber Hose • Industrial Baldor Motor • Weight: 100 Lbs	60-0100	1
Bottom Load Gun Only 210°F • 2750 PSI • Inlet 3/8 FNPT • Outlet 1/4" FNPT	60-2005	1			
Spray Gun Kit • Includes 2700 PSI Front Load Gun • 2 Pc Lance • 2.5' x 1/4" Hose • M22 Coupler	60-2050	1			
<b>Soap Detergent and Holder</b>					
Car Wash • 1 Gallon	60-2810	1			
House & Sliding • 1 Gallon	60-2812	1			
Deck & Fence • 1 Gallon	60-2814	1			
Heavy Duty • 1 Gallon	60-2816	1			
Multi-Pack • 1 Gallon Each Car Wash, House & Sliding, Deck & Fence, and Heavy Duty	60-2830	1			
Soap Holder • Two Clamps	60-2870	1			
<b>BRUSHES AND BRUSH KIT</b>					
Fixed Nylon Brush • 140°F • 3000 PSI • Inlet Male	60-2123	1			
Rotating Nylon Brush • 140°F • 2000 PSI • Inlet 1/4" QC Plug Male or Male M22	60-2125	1	5 HP Gas Powered  • 2500 PSI • 2.3 GPM • Low Pressure Chemical Injector Kit • Fully Adjustable Pressure • 10" Tubed Pneumatic Tires • Honda GC160 Engine • Weight: 80 Lbs	60-0200	1
			